




## LED Monitor Display Smd Led Pick And Place Machine For Soft / Hard Light Board

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CE CCC ISO
- Model Number: HT-T7
- Minimum Order Quantity: 1
- Price: US \$85000 - 86000 / Unit
- Packaging Details: Standard export package(Wooden case with vacuum package)
- Delivery Time: 30
- Payment Terms: T/T
- Supply Ability: 50



#### Product Specification

- Dimension: 2200\*2850\*1550 MM
- Total Weight: 1600 KG
- Wire Plate Size: Max 250 MM\* Any Length
- Mounting Speed: 100000 - 150000 CPH
- Power: 220 AC 50 HZ
- No.of Nozzles: 30 Pcs
- Highlight: **smd assembly machine,  
smd led mounting machine**

for more products please visit us on [smtmountingmachine.com](http://smtmountingmachine.com)

## Product Description

### specialty

Producing with 2-4 types of materials with high capacity, available for 5M, 50M or any length of soft lamp strip continuously. Two model, 15 nozzles for each mounting part, part A or part B can be mounted separately or synchronously. Global first technology patent: counterfeiting not allowed.

IPC 9850 Capacity:100000-150000 CPH

Patent number: ZL 2011 2 0237740.9 ZL 20 11 2 0334606.0

ZL 2012 2 0178869.1 ZL 2012 2 0415505.0

ZL 2012 2 0415044.7 ZL 2012 2 0415356.8

ZL 2012 2 0415061.0

### Packing & Shipping



Package used Standard export package(Wooden case with vacuum package)

Shipping in Shenzhen port within 15 days after payment

**LED mounter HT-T7 with double module. 15 nozzles for each module, part A or part B work separately or synchronously. The minimum pitch of nozzle is 14 MM, the nozzles can be adjusted freely if the width of each array is belt for transmission PCB, vision alignment for each meter, Mark correction, mounting continually for any length of strip, this is the Glocal only one SMT solution for mounting automatically of 5M, 50M etc. flexible strip**

### Technical Parameter

#### led bulb assembly machine/smt production line

Soft lamp strip	Wire plate size	250MM* any length
	Wire plate thickness	0.5~5mm
	Wire plate clamping	Adjustable pressure pneumatic.
	Mounting Mode	Group to pick and group to mount
O.S.	system	Windows7
	software	R&D independently
	Display	LED Monitor
	Input Device	Keyboard, Mouse
Feeding system	No. of feeders	60 PCS
	No. of nozzles	30 PCS
	Feeder type	Electronic feeder
	No. of Camera	5 sets of imported camera
Vision System		Vision for the flight identification + MARK correction
	Mounting Precision	±0.02mm chip
	Mounting Height	<15mm
	Mounting Speed	100000-150000CPH(optimum)
	Components	LED 3014/3020/3528/5050 and resistor, capacitors, bridge rectifiers.
	Components Space	0.2mm
	Power	220AC 50HZ
	Power Consumption	5 kw
	Operating Environment	23 ±3
	Conveyor Transmission	Belt drive
	Transmission Speed	>500mm/sec
	Transmission Direction	Single(left→right or right→left)
	Transmission Mode	Online drive
	Air pressure	>5.0kg/cm2

Electrical control	Independent research and development by ETON
Motion control card module 2 sets	Independent research and development by ETON
X,Y Axes Driving	Servo motor for closed-loop feedback control for X,Y axes



### **About the quality:**

Maintenance Period: 1 year.(whole machine, any parts need to be repaired or replaced will be free)

Upgrade the software will be free

Visit customer regularly and gather information.

Provide latest information about technology and equipment.

### **Company Profile**

Shenzhen ETON is a company that creates the lowest cost patching solution. The combination of high efficiency and low energy consumption brings customers the most optimized benefits.



### **FAQ**

**Q:How long is the time of delivery?**

Generally, the test delivery period is one month.

**Q:If my order is very urgent, how long you can proceed?**

We have helped many clients with their urgent demand. If your order is urgent, please check with our specialists to see if we can help.

**Q:How are the products packed for sea shipment?**

Most of the products have their unique packing, Then we put them into a carton. The cartons are sealed with tape.

**Q:How can you make sure that the products won't be damaged or wet?**

We take multiple measures to protect the products. They are first packing with individual. We put them into a carton and wrapped with plastic film and sealed with tape to keep the cartons in position and protect them from water.

### **Bussiness Card**

<b>Company</b>	<b>Shenzhen Eton Automation Equipment Co., Ltd</b>
<b>Address</b>	<b>The 44th Bld.,The 5th.Huaidecuigang Industrial area,Fuyong,Bao'an,Shenzhen,China</b>
<b>Mobile</b>	<b>+86 13652436725</b>
<b>Wechat</b>	<b>+86 13652436725</b>
<b>QQ</b>	<b>1762937684</b>



**Shenzhen Eton Automation Equipment Co., Ltd.**



0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA