




## 5 Meters Automatic Fastest Pick And Place Machine HT-T7 Adjustable Voltage Pneumatic

### Our Product Introduction

for more products please visit us on [smtmountingmachine.com](http://smtmountingmachine.com)


#### Basic Information

- Place of Origin: China
- Brand Name: Eton
- Certification: CE CCC ISO
- Model Number: HT-T7
- Minimum Order Quantity: 1 UNIT
- Price: USD 90000-100000
- Packaging Details: Wooden box package
- Delivery Time: 30 work days
- Payment Terms: T/T
- Supply Ability: 50 SETS




#### Product Specification

- Weight: 1600kg
- Power: 220AC 50Hz
- Wire Plate Clamping: Adjustable Voltage Pneumatic
- Length: 2200mm 5 Meters Automatic Fastest Pick And Place Machine HT-T7 Adjustable Voltage Pneumatic
- Width: 2850mm
- Height: 1550mm
- Highlight: high speed pick and place machine, led bulb assembly machine



#### More Images



## Product Description

### 5 Meters Automatic Fastest Pick And Place Machine HT-T7 Adjustable Voltage Pneumatic

**SMT pick and place machine, Led chip shooter, SMT machine, Led bulb manufacturing machine, Led light production line, PCB manufacturing machine, Led lamp making machine, etc.**

#### Product description

T7 SMT pick and place machine is for 5 meters, 50 meters and any length of wire board, disposable mount. Apply to LED soft lamp manufacturer.

HT-T7 is for the two modules, dual-group interact to mount around, each module can be installed 17 nozzles, the minimum distance is 14mm between two adjacent nozzle. 14mm above can be freely adjusted, when the puzzle spacing of less than 14mm can be separated by one or more of the welding position adjustment nozzle spacing to interact mount. **Achieving any length PCB uninterrupted pasted on. This mode is 5M,50M etc.** And it's identified the correct position by camera. So it's high precision and good stability.

#### Specific technical parameter

Length*Width*Height	2400mm*2800mm *1800mm
Total Weight	1600kg
PCB Length Width	250mm*any length
Mounting Precision	±0.02mm chip
Mounting Speed	100000~150000 CPH(optimum)
Components Speed	0.2mm
Power	220AC 50HZ
Power Consumption	7kw
No. of feeders	68PCS
Components	LED 3014/3020/3528/5050, resistors

#### Company information

Shenzhen Eton Automation Equipment co., LTD. is a professional manufacturer of pick and place machine. Our company independently research, development, design and manufacturer a set of high -speed good quality SMT pick and place machine. And we received a number of patents issued by the state certificate and support. Nowadays, we have served many factories and enjoyed good reputation. The 2017newest items are hot selling.



#### FAQ

##### 1) Do you have oversea after sale service?

We can offer technical support abroad. If you have any technical problem, our engineers will support you promptly.

##### 2) How is the training?

After buying our machines, you can send your engineers to our factory, or we send our engineer to your factory, and then we will train your people to operate these machines.

##### 3) It's hard to use the machine?

No, not at all. For our previous clients, at most 5 days is enough to learn to operate the machines.

##### 4) Does your machines have quality certificates?

We are high-tech enterprise with CE,SIRA,CCC ,ISO awarded as "Well-know brand" and many technology patents, and have rich experience(more than 8 years) in LED light production line program.

##### 5) What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

#### Let's light up your business

**We are very experienced in the establishment of led production line. If you are interested in our products or want to enter the LED business, Please feel free to contact me.**



**Shenzhen Eton Automation Equipment Co., Ltd.**



0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG  
STREET,BAOAN,SHENZHEN,CHINA