80000CPH High Speed Pick And Place Machine 0.5-5mm Pcb Thickness 1 Year Warranty

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability:



Product Specification

- Warranty:
- Applicable Components:
- Name:
- Condition:
- Mounting Speed:
- Pcb Thickness:
- Highlight:
- 0402 SMT Pick And Place Machine New 80000 CPH 0.5-5 Mm

CHINA ETON

IC,OCI,CO

HT-E8D

80000

30 days

1 Year

vacuum wooden package

50 units per month

smt pick and place machine, smt pick and place equipment



More Images



PROFILE



Shenzhen Eton automation equipment Co., Ltd. was founded in 2011. In the past nine years, our company has been focusing on the research and development, production and sales of SMT machines, serving thousands of domestic and foreign customers. The company's headquarters is located in Fuyong, Bao'an District, Shenzhen, with convenient transportation, and the plant area of the headquarters is 2000 square meters. There are after-sales service points in the Pearl River Delta, Jiangsu, Zhejiang and Shanghai. In 2014, our company has been in the overseas market India, Delhi to set up offices, welcome customers who are interested in Indian market to discuss and cooperate, and jointly develop Indian market. In addition, our equipment in addition to India, Egypt, Vietnam, Indonesia, Turkey, Thailand, Russia, etc. have a large number of exports,

welcome the cooperation of foreign trade companies.

Major products

8, 10, or 16 heads of multifunctioal pick and place machine Automatic highspeed chip pick and place machine Automatic glue dispenser machine Lens mounter

Features

Eton new economical highspeed pick and place machine.

Apply to different kinds of SMD components: LED chip, capacitors, resistors, IC,RGB, shaped components,etc. Applicable Products: It's suitable for power driver, electric boards,LED screen, bulb, down light, panel, strip, lamp, street light, ceiling light and etc.

TECHNICAL PARAMETER

RT-1 Technical Parameter		
1	Length*Width*Heig ht	3150mm*2250mm *1650mm
2	Total Weight	2000kg
3		Max:1200*300mm Min:100*100mm
4	PCB Thickness	0.5-5mm
5	PCB Clamping	Electric clamping
6	Mounting Mode	Group picking and separate placingseparate picking and separate placing
7	Software	Windows 7
8	Display	Touch screen
9	Input Device	Keyboard,Mouse
10	No. of Camera	2 sets of imported camera
11	Position Camera	Vision for the flight identification + MARK correction
12	Mounting repeat Precision	±0.02mm chip
13	Mounting Height	<40mm(component max height 20mm)
14	Mounting Speed	80000 CPH(optimum)
15	Components	LED chip,capacitors,resistors,IC,RGB,shaped components etc.
16	Components Speed	0.2mm
17	X,Y,Z Axies Driving	Magnetic linear motor+servo motor
18	feeder	60PCS
19	No. of nozzles	16 nozzles

-----FAQ------

- Q: What we can do for you?
- A: Total SMT Machines and Solution, professional Technical Support and Service.
- Q:Are you a trade company or a manufacturer?
- A: 100% manufacturer
- Q: What is your delivery date?
- A: The delivery date is about 35 days after receipt of payment.

Q: What is your payment terms?

- A: 30% deposit in advance and 70% balance before shipment.
- Q: Why choose us?
- A: Leading SMT Supplier in China; R&D independently ; Professional after-sales service team.

