

6KW 200000CPH Robot Smd Mounting Machine LED 3014 Flexible Strip

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Name:	Pick And Place Machine
• Speed:	200000CPH
• Feeders:	68 PCS
Components:	LED 3014/3020/3528/5050 Resistor Capacitors
• PCB Size:	250mm*any Length
 Nozzles: 	68 PCS
Highlight:	200000CPH Robot Smd Mounting Machine, 6KW Robot Smd Mounting Machine, LED 3014 Flexible Strip Mounter

CHINA ETON

HT-F9

T/T

CE,CCC,SIRA

EXW USD 95000/sets

30 days after deposit

50 sets per mouth

Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.

Our Product Introduction

Product Description

flexible strip light rope light pick and place robot smd mounting machine price

HT-F9 professional high speed mounter apply to the 0.6m,0.9m,1.2m rigid PCB and 0.5m,1m LED flexible strip. Mounting components includes LED 3014/3020/3528/5050 and resistors,capacitors,bridge rectifiers.

HT-F9 professional high speed mounter can producing with 2~4 types of materials with high capacity, available for board with any proportion of LED chip and resistors.

Two mounting modules ,18 nozzles for each mounting part, part A or B can be mounted separately or synchronously. Exclusive patent technology :group to take and group to mount .

Application:

Apply to the 0.6m,0.9m,1.2m rigid PCB and 0.5m,1m led flexible strip,Producing with producing 4 types materials at the same time with high capacity ,available for board with any proportion of led chip and resistor. Performance introduction

High precision

With a new visual recognition system, five imported cameras, visual alignment, Mark correction technology, combined with optical positioning method, accurately identify the position of PCB board and quickly and accurately mount components.



Multicolor led strip light, suitable for differernt length


Attached its technical parameter:

		HT-F9			
РСВ	PCB length width	Max:1200*330mm min:80*330mm			
	PCB thickness	0.5~5mm			
0.S.	system	Windows 7			
0.0.	software	R&D independently			
	No.of camera	5 sets of imported camera			
		Vision alignment, mark correction			
	Mounting precision	0.02mm(repeat precision)			
	Mounting height	<15mm			
	Mounting speed	200000CPH			
	Components	LED 3014/3020/3528/5050 and			
		resistors,capacitors ,bridge rectifiers.			
	Components space	0.2mm			
	No.of feeders station	68PCS			
Vision	No.of nozzles	68PCS			
system	Power	380AC 50HZ			
	Power consumption	6KW			
	Transmission direction	Single (left to right or right or left)			
	Transmission mode	Auto online drive			
	Electrical control	Independent research and development by ETON			
	Motion control card module 1set	Independent research and development by ETON			
	X,Y,X axis drive way	Servo motor +magnetic linear motor			

The production layout

d		E Star					1
+	+	+	+	+	+	+	+
vacuum loader	automatic stencil printer	Single-rail conveyor	Pick and place machine HT-F9	Single-rail conveyor	Single-rail 8 zones reflow oven	Single-rail conveyor	vacuum unloader
1500mm	2200mm	1400mm	2700mm	1400mm	5000mm	1400mm	2200mm

Wooden vacuum packaging:



Our close-up style.



Remarks:

1.Payment terms: Deposit 30% in advance, the balance 70% should be paid before shipment by T/T.

2.Delivery time: 30 days after deposit. 3.Warranty: 1 year.(including spare parts)

After sales service

Maintenance period: 1 year. Visit customers regularly and gather information. Provide latent information about technology and equipment.

FAQ

Q:How is the training?

A:After you buy the machine, we will have an engineer to your factory for free installation and training **Q:Is it hard to use these machines?**

A:No,not hard at all.For our previous clients, at most 3~5 days is enough to learn to operate the machines. **Q:Does your machines have quality certificate?**

A:All of our machines have passed CE certificate,ISO14001(BCC),ISO9001(IQNET) and have own patent. **Q:The Warranty of the machine?**

A:One year,then the parts will be free for the buyer in the warranty.

Q:English version for these machines?

A:Yes,In Both Chinese and English.

