

250mm Width Smt Conveyor Adjustable Length Double Rails Translational Conveyor

Basic Information

. Place of Origin: China Brand Name: **ETON**

· Certification: CCC, CE, SIRA Model Number: MV250D

1 set Packaging Details: Conventional wooden box packaging,

vacuum inside, nail fixing and strapping

machine

5-8 work days . Delivery Time:

• Payment Terms: T/T

Minimum Order Quantity:

Supply Ability: 50 sets per month



Product Specification

• PCB Size(mm): 80*50-(330-1500)*250

Transport Height: 900±20mm

 Transport Direction: Left-Right; Right-Left

Dimension(mm): According To The Actual Arrangement Of

The Production Line

 Decentralized And Two In And One Out, One In And Two Collective Functions:

Out, two In And Two Out, Three In And One

Out (optional)

• Power Consumption: Single-phase AC110~220V (optional), Up


To 500 Volt Amperes

• Highlight: 250mm Width Smt Conveyor,

Adjustable Length Smt Conveyor, **Double Rails Translational Conveyor**



More Images



Product Description

250mm Width Smt Conveyor Adjustable Length Double Rails Translational Conveyor

The features of machine

The semi-enclosed design improves the safety protection level;

PLC control system, color touch screen operation interface;

The position and direction of the access board are adjustable;

The width of the track can be automatically adjusted, and the displacement of the track is rotated by a precision screw; It is suitable for the transmission of two lines, large distance, and PCB board.

Work process

The PCB board passes through the board-in rail of the transfer machine to reach the internal translation rail;

When the inductor senses that the PCB board reaches the translation track, the stepper motor on the track drives the timing belt, and the timing belt drives the track to the set output position;


After reaching the exit position, the belt on the exit track drives the PCB out of the board.

Paramete

Product name	Double translational conveyor
Model	MV250D
Dimension(mm)	According to the actual arrangement of the production line
PCB size(mm)	80*50-(330-1500)*250
Decentralized and collective functions	Two in and one out, one in and two out, two in and two out, three in and one out (optional)
Transport height	900±20mm
Transport direction	Left-Right; Right-Left
Weight(Kg)	Determined by specific itinerary and requirements
Power Consumption	Single-phase AC110∼220V (optional), up to 500 volt amperes








Excelent services

- 1. We provide fulL SMT solution for you;
- 2. We provide core technology with our equipments;

- 3. We provide the most professional tech service;
- 4. We have wealthy experience on SMT factory setup;
- 5. We can solve any question about SMT.





1) Do you have oversea after sale service?

We can provide technical support abroad. If you have any technical problems, our engineers will provide you with timely support. Abroad, we have India and Egypt office and local engineer, etc.

2) How is the training?

After purchasing our machines, you can send your engineers to our factory, or we send our engineers to your factory, and then we will train your personnel to operate these machines. Online training and video tutorials. During the epidemic, if our engineers can't make it through, we also have special one-on-one online training and video tutorials.

3) It's hard to use the machine?

Machine is very intelligent and easy to operate, like the intelligent phone, also the software is made by our company, so we know how to make it more intelligent and operate friendly.

4) How can I buy this machine from you?

- A. Consult us about this product on line or by e-mail.
- $\ensuremath{\mathsf{B}}.$ Negotiate and confirm the final price , shipping , payment methods and other terms.
- C. Send you the proforma invoice and confirm your order.
- D. Make the payment according to the method put on proforma invoice.
- E. We prepare for your order in terms of the proforma invoice after confirming your full payment.
- And 100% quality check before shipping.
- F. Send your order by air or by sea.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



Iinda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA