

automatic 0402 IC mounting mounter led lamp machine led lamp assembly machine SMT

Basic Information

- Place of Origin:
- Brand Name: ETON

CHINA

HT-F7S

T/T

CE,CCC,SIRA

EXW USD 45000-67500/sets

30 days after deposit

50 sets per mouth

Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.

- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Name:	Chip Mounter Machine
• Feeders:	68 PCS
Components:	LED 3014/3020/3528/5050 Resistor Capacitors
Nozzles:	34 PCS
PCB Size:	250mm*any Length
• Speed:	150000~180000CPH
 Mounting Height: 	5mm
Pcb Size:	1200*330mm
Warranty:	1 Year
• Туре:	SMT Machine Related Products
Repeat Accuracy:	±0.02mm

automatic 0402 IC mounting mounter led lamp machine led lamp assembly machine SMT

What are the features of SMT:

With high assembly density, small size and light weight of electronic products, the volume and weight of SMD components are only about one-tenth of traditional plug-in components. Generally, after SMT is adopted, the volume of electronic products is reduced by

40%~60%, and the weight is reduced by 60%~ 80%.

High reliability and strong anti-vibration ability. The defect rate of solder joints is low.

Good high frequency characteristics, reducing electromagnetic and radio frequency interference.

It is easy to realize automation and improve production efficiency. Reduce costs by 30%~50%. Save materials, energy, equipment, manpower, time, etc.

Technical parameter of SMT pick and place machine

PCB Length Width	Max:1200*330mm Min:100*100mm
No. of Camera	5 sets (Digital camera)
	Vision alignment, MARK correction
Repeat Mounting Precision	±0.02mm(Repeat precision)
Mounting Height	≦5mm
Mounting Speed	150000~180000 CPH
Components	LED 3014/ 3020/ 3528/ 5050 and capacitors, resistors, bridge rectifiers, etc.
Components Space	0.5mm
Power	380AC 50 HZ
Power Consumption	6kw
Operating Environment	23 ±3

Features of Chip mounter machine

Apply to the 0.6 M, 0.9 M, 1.2 M rigid PCB and 0.5 M, 1 M LED flexible strip. Producing with 2~4 types of materials with high capacity. available for board with any proportion of LED chip and resistor.

Two mounting modules, 18 nozzles for each mounting part, part A and part B can be mounted separately or synchronously. Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to pick and group to mount.



After sales service of SMT line

Pre-Consultation: provides professional SMT solutions for the full line. Factory Warranty: One-year warranty factory service. Installation: On-site installation and commissioning, to ensure smooth production. Technical Training: provides professional training from Level 1 to Level 3. Technical Support: provides 7 * 24 technical support. Software Upgrade: offers lifetime free software upgrades for all products Provide latest information about technology and equipment.



HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA