



## Multifunctional Double-Module Producing Two Products One Time Reach 80000 CPH Pick And Place Machine Rt-2

### Our Product Introduction

for more products please visit us on [smtmountingmachine.com](http://smtmountingmachine.com)


#### Basic Information

- Place of Origin: Shenzhen China
- Brand Name: ETON
- Certification: CE,SIRA,CCC,ISO
- Model Number: RT-2
- Minimum Order Quantity: 1 Sets
- Price: USD 41,000.00-61,000.00/ 1Unit/Units
- Packaging Details: Filming packing、 vacuum packing、 wooden packing
- Delivery Time: 30 work days
- Payment Terms: T/T, L/C
- Supply Ability: 50 Sets per month



#### Product Specification

- Dimension: 1200\*1930\*1500mm
- PCB Size: Dual-track Max: 450\*300mm Single-track Max:450\*540mm Min:80\*80mm
- PCB Thickness: 0.1~6mm
- Mounting Mode: Group Picking And Separately Placing、 separately Picking And Separately Placing
- Mounting Precision:  $\pm 0.04\text{mm}$
- Mounting Height: Standard: $\leq 15\text{mm}$ (Height Customizable)
- Mounting Speed: 80000 CPH
- No.of Feeders Station: 64 PCS
- No.of Head: 20 PCS
- Warranty: 1 Year
- Delivery: 15~30 Days
- System: Windows 7



#### More Images



## Product Description

### Multifunctional Double-Module Producing Two Products One Time Pick And Place Machine Rt-2

#### Production Introduction of Pick and Place Machine

1. with double module,total 20 head,each part 10 head, can produce two types of products at the same time.
2. The X axis is magnetic liner motor,Y axis and Z axis is servo motor,very good performance and high accuracy.
3. It's intelligent,can produce different types of LED light and electric board,such as bulb ,strip, Panel, Down light, streetlight,power driver, other electronic boards, etc.
- 4 .Its high precision(accuracy),apply to LED chips,resistor,capacitor,IC,shaped components etc.

#### RT-2 of Technical Parameter

Dimension	1200*1930*1500mm
PCB length width	Bilateral dual-track: Max:450*300mm Unilateral single-track:Max:450*540mm Min:80*80mm
PCB Thickness	0.1~6mm
Mounting mode	Group picking and separately placing,separately picking and separately placing
Mounting precision	±0.04mm
Mounting height	Standard:≤15mm(Height customizable)
Mounting speed	80000 CPH
Components	LED chip,capacitors,resistors,IC,shaped components,etc.
Components space	0.2mm
No.of feeders station	64 PCS
No.of head	20 PCS
Power	AC 380V 50Hz
Power consumption	6KW
X,Y,Z Axis drive way	High-end magnetic linear motor and servo motor

#### Application of RT-2

Apply to tube,driver,bulb,strip,lamp,panel,ceiling light,down light,screen,street light,etc.  
Apply to mounting LED,capacitors,resistors,IC,shaped components etc.

#### Company Introduction



The hall of office building in Jiangxi



The hall of office building in Shenzhen



ETON Industrial Park




ETON assembly shop

Since its establishment in 2011, ETON has been committed to the development and production of SMT placement machines.

1. Strong reach and develop technology team, support machine upgrade continuously, support client strong technical support.
2. Rich experience in SMT Industry Line. ETON set up more than 10 years, we are leading manufacturer of SMT machine in China.
3. Strong production capacity, ETON have more than 50000 square meter Industrial park in Jiangxi Province, machine capacity more than 50 units/month.
4. Good and professional service. Provide engineer Door-to-door service, support video online training, video training.

share,free replaced machine core part during warranty. And also we could provide professional SMT line solution.

#### **Our after-sales service of Pick and Place Machine**



We will send our engineer to your factory to install machine and training freely.

We have service office in India, and have Indian engineer in Delhi and Mumbai.  
Can support quickly.

Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

#### **Package&Delivery of Pick and Place Machine**



### Package:

- Standard export vacuum water proof package;
- Strong wooden package for ensure safely delivery of heavy and large equipment;

### Delivery:

- By air: for small package, worldwide express like DHL,UPS,Fedex,EMS...
- By sea, for large package and quantity;
- By railway or other ways as customer requested.

All machines are packed with vacuum and wooden packing like the one in the pictures.

Step1:Film packaging.

Step2:Vacuum packaging.

Step3:Wooden box packaging

You can trust us, because we have professional and standard packaging to protect the machine.

### FAQ of Pick and Place Machine

1. Q:What are your advantages?

A: Our company stick to five level management policy: sincere business, focus on R&D, manufacturing intentions, considerate service, customer trust.

2. Q: If my order is very urgent, how long you can proceed?

A: We have helped many clients with their urgent demand. If your order is urgent, please contact with our specialist to see if we can help.

3. Q:If machine have any problem after I receive it, how can I do ?

A:We will send Free parts send to you in machine warranty period.

4. Q:Why choose us?

A: We product professional, high efficiency, low consumption and specialized in research and development, production, sales and service of SMT high-speed SMT machine automation.

5. Q: What about the shipping methods?

A: A variety of transportation methods for you to choose. By sea, air and road.

6. Q: Do you have service office in India?

A: Yes, we have service office in Deli and Mumbai, can support quickly.

7. Q: What is the mounting mode of your SMT machine?

A: Our multifunctional pick and place machine can group picking and separately placing or separately picking and separately placing, high-speed pick and place machine can group picking and group placing.



**Shenzhen Eton Automation Equipment Co., Ltd.**



0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG  
STREET,BAOAN,SHENZHEN,CHINA