

# DOB Bulb LED Mounting Machine 10 Heads 2 Camera 40000CPH

# Our Product Introduction

for more products please visit us on smtmountingmachine.com

**Our Product Introduction** 

CHINA	
ETON	
CCC/CE/SIRA	ETON
RT-1	
1 Set	
wooden box with vacuum package	
30 days after deposit	SERVICE STREET
T/T	18
50 sets per month	1 🔹 🔜 💊

### **Product Specification**

**Basic Information** 

• Place of Origin:

• Brand Name:

• Certification:

Model Number:

• Delivery Time:

Supply Ability:

• Payment Terms:

Packaging Details:

• Minimum Order Quantity: 1 Set

<ul> <li>Dimention(mm):</li> </ul>	1200*1930*1500
<ul> <li>Total Weight:</li> </ul>	2000kg
<ul> <li>PCB Length Width:</li> </ul>	MAX:450mm*350mm MIN:80*80mm
PCB Thickness:	0.1-6mm (if 0.6mm Need Jig)
<ul> <li>Mounting Precision:</li> </ul>	±0.04mm
<ul> <li>Mounting Speed:</li> </ul>	40000CPH
<ul> <li>No.of.feeders System:</li> </ul>	32PCS
<ul> <li>No.of .head:</li> </ul>	10PCS
Components:	LED Chip, Capacitors, Resistors, IC, Shaped Componets. Etc.
<ul> <li>Feeding Way:</li> </ul>	Electric Feeder With Double Motor.
Highlight:	DOB Bulb LED Mounting Machine, 10 Heads LED Mounting Machine, 40000CPH Pcb Mounting Machine



## More Images



### Product Description

### LED DOB bulb 10 placement heads 2 camera wide use Pick And Place Machine

### SMT multifuncational placement machine feature:

- The structure of the multi-function placement machine mostly adopts the arch structure,
- which has the characteristics of high precision and good flexibility.
- Can accept all the material packaging methods, such as tape and reel, tube, box and reel.
- In addition, when there are many materials in the tray, a multi-layer special tray feeder can be installed.
- Most of the multi-function placement machines adopt the circuit board fixed type,
- and use the movement of the placement head to achieve X and y positioning,
- and will not cause large or heavy components to shift due to inertia due to the movement of the table.

### **PRODUCTION INTRODUCTION**

### Advantage:

One placement head one servo motor, pick components and place components have high speed and correct. Identification of various complex components. inductors, capacity, terminals, resostors, diodes... RGB components can mount, high precious. can mount0402. Feeder feeding system ,vision system, obtain exclusive patented techonology.



# **Economical Pick and Place Machine**

# **RT-1**

Pcb size: 80\*80-450\*350mm Placement head: 10 pcs Mounting speed: 40000 CPH Dimension: 1200\*1930\*1500mm Application: LED bulb, DOB bulb, Panels, downlight, dispaly, etc.





Drag chain Imported from Germany IGUS

Mark camera Hikvision brand from China top one



Guide rail Imported from Japan THK



Technical parameter

Model	RT-1
Mounting mode	Group picking and separately placing ;separatel y picking and separately placing
Total weight	2000kg
No.of camera	2PCS
PCB SIZE	80*80-450*350mm
No.of head	32PCS
Mounting speed	40000CPH
No.of camera	2PCS, vision alignment, mark correction


### SMT LINE SOLUTION

Save the cost, RT-1 semi automatic SMT production line.



### ETON - RT-1 Semi-automatic Production Line





### Our Company

ETON is the leader manufacturer of SMT equipment in China with over 10 years experience.


Jiangxi Industrial Park, It has own industrial park, which has 7 building covering an area of more than square meters. Got large more than 80% big led lighting industry market,

We have professional technicians from Japan, South Korea, the United States, Hong Kong, etc.



FAQ

Q: How to operate the mahine?



O086 13670197725 (Whatsapp/Wechat) Inda@eton-mounter.com smtmountingmachine.com HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA