



high speed 90000CPH SMD surface mount pick and place machine in smt production line

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC, CE, RoHS
- Model Number: HT-E8D-1200
- Minimum Order Quantity: 1
- Price: FOB USD 81000/sets
- Packaging Details: Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.
- Delivery Time: 30 days after deposit
- Payment Terms: L/C, T/T
- Supply Ability: 50 sets per month



Product Specification

- Place Of Origin: China
- Name: Smd Pick And Place Machine
- Warranty: 1 Year
- Dimension: 3150*2250*1650mm
- Total Weight: 2000kg
- Power: 380AC 50HZ
- Power Consumption: 8KW
- Mounting Speed: 80000CPH
- Mounting Height: <36mm
- Visual Camera: 2 Sets Of Imported Camera
- Drive Way: High-end Magnetic Linear Motor +servo Motor
- Heads: 24 PCS



More Images



Product Description

high speed 90000CPH SMD surface mount pick and place machine in smt production line

Function of SMT pick and place machine

Exclusive Patented Technology
Electronic feeder feeding system
Vision alignment flight identification, mark correction
Non-stop material re-loading function
Non-stop material re-loading function

Features of SMD pick and place machine

Vision system

2 sets of imported camera
Vision for the alignment identification, mark correction
Visual recognition system can process the absorbed components into the required mounting angle through image recognition, and ensure the mounting accuracy, which can reach 0.02mm.

Strong stability

The use of dual motor electronic flying feeding ensures the mounting accuracy, stability and speed.

High efficiency

Dual system ,Two module ,16 nozzles totally,40 feeders station .
Flight camera component identification method is used to maximize the mounting speed, and the maximum mounting speed is 80000 points per hour.

Easy to maintain

Support Chinese and English operation interface, easy to understand and learn
Machine new equipment, powerful and easy to operate software, simple structure, easy maintenance, low power consumption.

Technical parameter of pick and place machine

Technical parameter	
PCB	
PCB length width	Max:1200*300mm min:100*100mm
PCB thickness	0.5~5mm
PCB clamping	Adjustable pressure pneumatic
O.S.	
system	Windows7
software	R&D independently
display	Touch screen monitor
input	Keyboard mouse
Feeding system	
No. of feeders station	Dual mode ,totally 40
No.of nozzles	Dual mode,totally 16
Feeding way	Electric feeder with double motor



SMT Line



Our Partners

ETON advanced technology and innovation drives the revolution of market rapidly, and obtains a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, which save much labor and space of production, got large market share in USA, KOREA, INDIA, GERMANY, EGYPT, TURKEY, VIETNAM, TUNISIA, THAILAND more than 20 countries.



Industrial Park



Packaging & Shipping of SMT machine

Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements. Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.

Our Services

We will send our engineer to your factory to install machine and training freely. We have service office in India, and have Indian engineer in Delhi and Mumbai. Can support quickly. Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

FAQ

What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

How about your operating system?

The operating system is Windows 7. The software is developed independently. It supports Chinese and English operation interface. And It has simple structure and is easy to operate.

What is the delivery date?

We will deliver the goods after 30 days' deposit.

What mode of transport does the goods adopt?

Our mode of transportation is very flexible. Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

What is the direction of transmission of machines?

The transmission direction of this machine is single direction. From left to right or from right to left.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA