

# Single module 45000 CPH 28 feeders 12 nozzles led lights mounting machine

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 SET
- Packaging Details: Vacuum woode

China ETON

CCC CE SIRA

HT-E8S-1200

- Supply Ability:
- Vacuum wooden box 50 PCS/month



## **Product Specification**

- Name:
- Length:Width:

• Height:

• System:

• Display:

• Total Weight:

• Input Device:

# LED Mounting Machine 2550mm

1650mm

- 1550mm
- 1700kg
- Keyboard & Mouse
- Windows 7
- Touch Screen Monitor



### More Images



#### Product introduce

HT-E8S is a machine designed and produced by ETON with an optimum production capacity of 45000 CPH. This machine can mount large special-shaped components, such as lens, equipped with imported high-precision linear motor and servo motor. It is suitable for mounting DOB, driving, etc.

 The maximum height SMD that can be pasted is 15mm, the maximum span width of the SMD is no more than 17mm, and the minimum size of the SMD that can be pasted is 0402
The components of the machine assembly are guaranteed. We choose the best imported brands and domestic brands to equip our machine to make it unique in the market.
The software part is a patented technology that we have independently developed and won many awards, such as group taking and pasting or splitting and pasting, so as to ensure the maximum rotation angle of the head and ensure the accuracy at the same time.

#### Vision system

1) The visual recognition system is equipped with two sets of imported cameras, one for mark correction and the other for flight visual recognition alignment. The two cameras cooperate with each other, which can not only make the program of mounting PCB on this basis, but also automatically identify and replenish materials.


2) The maximum PCB size of this machine is 1200 \* 500mm. If the customer's demand is to make light tubes, in fact, this machine can also be met, and its functions are very diverse and powerful.

#### Feeding system

The feeding system of this model is mainly composed of three parts: one is the number of feeders station, one is the number of suction nozzles, and the other is the feeding way.

1. It is equipped with 28 feeders station and 12 suction nozzles, which are fed by double motor electronic feeder.

2. There is also a non-stop refueling function.



#### Parameter

| raiameter     |                               |
|---------------|-------------------------------|
| Length        | 2550mm                        |
| Width         | 1650mm                        |
| Height        | 1550mm                        |
| Total weight  | 1700kg                        |
| PCB thickness | 0.5-5mm                       |
| PCB clamping  | Adjustable pressure pneumatic |
| Systems       | Windows 7                     |
| Software      | R&D independently             |
|               |                               |

#### **Company information**

Since its establishment in 2011, ETON has become one of the leaders in the global photoelectric high-speed Mounter after nearly ten years of development. The high-speed machine developed by ETON has changed the market price of LED lamps, obtained various certificates and applied for more than 100 invention patents.



O086 13670197725 (Whatsapp/Wechat) Iinda@eton-mounter.com

Smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA