

200000 CPH SMD Pick And Place Machine High Speed For LED **Strip**

Basic Information

. Place of Origin: **CHINA** Brand Name: **ETON**

· Certification: CE,CCC,SIRA

Model Number: HT-F9 Minimum Order Quantity: 1 set

• Price: EXW USD75000/sets

 Packaging Details: Our packing is made of wooden box with

vacuum package, and we promise to deliver

the goods within four weeks after payment.

. Delivery Time: 30 days after deposit

Payment Terms:

. Supply Ability: 50 sets per mouth



Product Specification

Name: Pick And Place Machine

LED 3014/3020/3528/5050 Resistor . Components:

Capacitors

Speed: 200000CPH 68 PCS Feeders:

PCB Size: 250mm*any Length

68 PCS Nozzles: 6 KW • Power:

5 Sets Of Camera Camera: Software: R&D Independently Pcb Size: 1200*330mm

• Highlight: 200000 CPH SMD Pick And Place Machine,

LED Strip SMD Pick And Place Machine



Product Description


200000CPH high speed SMD pick and place robot for led strip light production line

Features of Pick and place machine

High speed	producing with 2~4 types of materials with high capacity ,available for board with any
	proportion of LED chip and resistors. Two mounting modules ,18 nozzles for each
	mounting part, part A or B can be mounted separatly or synchronously.
	Application of exclusive patent technology: group to take and group to mount ,mounting
	speed around 150000CPH.
	It saves a lot of time, space and manpower cost.
Good durability	Using High Stability Electronic Dual Motor
	The wear resistance of screw rod is not easy to deviate and has high accuracy.
	The guide rail has strong bearing capacity and high stability.
	High-quality hardware configuration for 24-hour machine operation.
	strip,roll to roll.

What can this big blue robort do?

It is suitable for LED 3014,3020,3528,5050 and resistor, capacitor, bridge rectifiers,etc Suitable for flexible light strip 1m,5m,50m,100m or any length of flexible strip and Roll to Roll,Available for RGB.



Technical Parameter of SMT pick and place machine

HT-F9			
РСВ	PCB length width	Max:1200*330mm min:80*330mm	
	PCB thickness	0.5~5mm	
O.S.	system	Windows 7	
	software	R&D independently	
Vision system	No.of camera	5 sets of imported camera Vision alignment,mark correction	
	Mounting precision	0.02mm(repeat precision)	
	Mounting height	<15mm	
	Mounting speed	200000CPH	
	Components	LED 3014/3020/3528/5050 and resistors,capacitors ,bridge rectifiers.	
	Components space	0.2mm	
	No.of feeders station	68PCS	
	No.of nozzles	68PCS	
	Power	380AC 50HZ	
	Power consumption	6KW	
	Transmission direction	Single (left to right or right or left)	
	Transmission mode	Auto online drive	
	Electrical control	Independent research and development by ETON	
	Motion control card module 1set	Independent research and development by ETON	
	X,Y,X axis drive way	Servo motor +magnetic linear motor	



Wooden vacuum packaging:



FAQ

Q:How is the training?

A:After you buy the machine, we will have an engineer to your factory for free installation and training

Q:ls it hard to use these machines?

A:No,not hard at all.For our previous clients,at most 3~5 days is enough to learn to operate the machines.

Q:Does your machines have quality certificate?

A:All of our machines have passed CE certificate, ISO14001(BCC), ISO9001(IQNET) and have own patent.

Q:The Warranty of the machine?

A:One year, then the parts will be free for the buyer in the warranty.

Q:English version for these machines?

A:Yes,In Both Chinese and English.





O 0086 13670197725 (Whatsapp/Wechat)

linda@eton-mounter.com

smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA