

Chaina led bulb meking machine car led tail lamp manufacturing machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Unit/Units
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T

CHINA

ETON

CCC/CE/SIRA

HT-E8S-1200

15-30days

EXW USD 45000/sets

50 Unit/UNits per month

Vacuum packing in wooden case

Supply Ability:



Product Specification

- Name:
- Dimension(MM):
- PCB Size:
- Mounting Mode:
- NO.of Camera:
- Feeders Way:
- Mounting Precision:
- Mounting Speed:
- No.of Feeders Station:
- No.of Head:

- SMD Chip Mounter,SMT Pick And Place Machine,SMT Chip Mounter
- 2550(L)* 1650(W)* 1550(H)
 - Max:1200*500mm Min:100*100mm, Thickness: 0.5-5mm
 - Group Picking And Separately Placing separately Picking And Separately Placing
 - 2 Sets Of Imported Camera Vision For The Flight Identification, Mark Correction
 - Electric Feeder With Double Motor
- 1: ± 0.04 Mm
 - 45000 CPH
 - : 28 PCS Single Module
 - 12 PCS Single Module



leb:www.etonsmtmachine.co

More Images



Chaina led bulb meking machine car led tail lamp manufacturing machine

Product Features


Automatic optimization after coordinate generation, etc.

Mounting components: LED chip , lens, capacitors, resistors, IC and shaped components, etc.(intelligent,use widely) Component: Min.size 0402 Max.height 17 mm


Application:Apply to tube,driver,bulb,strip,lamp,panel,ceiling light,down light,screen,street light,flood light,etc. Electronic feeder feeding system.



E8S-1200 multi-function placement machineWhich can produce most of the LED products on the market



Compared with other similar products, the product has the following advantages:



Specifications

Model	HT-E8S-1200
Dimension(MM)	2550(L)* 1650(W)* 1550(H)
Total weight	1700KG
PCB size	Max:1200*500mm Min:100*100mm, thickness: 0.5-5mm
Mounting mode	Group picking and separately placing ,separately picking and separately placing
PCB clamping	Adjustable pressure pneumatic

NO.of camera	2 sets of imported camera Vision for the flight identification, Mark correction
Feeders way	Electric feeder with double motor
Mounting precision	± 0.04 mm
Mounting speed	45000 CPH
No.of feeders station	28 PCS Single module
No.of head	12 PCS Single module
X,Y,Z Axis drive way	High-end magnetic linear motor + servo motor

More SMT Production Line Suggestions

- 1. We provide fulL SMT solution for you
- 2. We provide core technology with our equipments
- 3. We provide the most professional tech service
- 4. We have wealthy experience on SMT factory setup
- 5. We can solve any question about SMT

Application of HT-E8S-1200 semi-automatic production line

The semi-automatic production line is suitable for many kind of led products and power driver **Below are the suggestion of basic steps for the pick and place progress and equipment : Main Products:** SMT LED Pick and Place Machine,SMT LED Reflow Oven,SMT LED Stencil Printer,SMT Production Line,LED Assembly Line,SMT LED Machine.

