



LED Display Pick And Place Machine windows 7 system For 0201 40x40mm Circuit Board

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC,SIRA,CE
- Model Number: YT101S
- Minimum Order Quantity: 1PCS
- Packaging Details: We use vacuum wooden box packaging
- Delivery Time: 5-8days
- Payment Terms: L/C, T/T
- Supply Ability: 50pcs/month



Product Specification

- PCB Size(max): 500*350mm
- PCB Thickness: 0.5-4.5mm
- System: Windows7
- No.of Camera: 2 Sets
- Mounting Speed: 40000CPH
- Mounting Height: <=20mm
- Components Range: 0201-40*40mm
- No.of Heads: 10PCS
- Highlight: Windows 7 LED Pick And Place Machine,
0201 LED Pick And Place Machine,
LED Display Pick And Place Machines



More Images



Product Description

Apply to 0201-40*40mm LED CIRCUIT BOARD DISPLAY PICK AND PLACE MACHINE

Feature

New upgrade pick and place machine, it is using High-end integrated placement head, no need change mounting head and place all SMD components. Non replace modular head


High precision camera, the camera is using vision alignment, Tri-color lighting technology, could recognition mini components and IC pin

With automatic PCB board feeding conveyor system, suitable for from 50*50-500*350mm PCB size

Intelligent electric feeder, support double head intelligent electric tape reel feeder, by optically correcting the feeding position of the component. It can achieve stable, accurate and high-speed feeding.

The Technical parameter

1. PCB
Suitable for max PCB size is 500*350mm , mini size is 50*50mm PCB using cylinder clamping, track width adjustable for clamping The Rail 1 is fixed but other is flexible The PCB thickness is 0.5-4.5mm
2. Camera
The No.of camera is 2 sets digital camera, head flight vision recognition component, vision alignment, mark correction
3. Precision
The repeat precision is $\pm 0.02\text{mm}$, support for 0201-40*40 IC
4.Component Range
Mini 0201-40*40mm package and IC, apply to BGA, CSP etc. Max mounting height is 20mm
5.Mounting speed
The optical speed is 40000 CPH with 10 mounting heads



Other machines

We not only provide mounter, but also printing machine, loading machine, docking station, reflow soldering, transplanter, reflow soldering, etc

FAQ

Q:If I buy your product, what can I get?

A:As long as you buy our machine, we will provide free door-to-door installation (free replacement for any damaged parts within the warranty period), free technical training, 7-day and 24-hour online video teaching, lifelong free software update and other services.

Q: What is your delivery date?

A:The delivery date is about 20 days upon the full payment.

Q: What is your payment terms?

A:100% payment before delivery or 50% deposit in advance and the rest before shipment.



Shenzhen Eton Automation Equipment Co., Ltd.

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG
STREET,BAOAN,SHENZHEN,CHINA