



## Panel light SMT picking and place machine with 80000cph and R&D software

### Our Product Introduction

for more products please visit us on [smtmountingmachine.com](http://smtmountingmachine.com)

#### Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC,SIRA,CE
- Model Number: YT202
- Minimum Order Quantity: 1PCS
- Packaging Details: WE USE VACUUM WOODEN BOC PACKAGE
- Delivery Time: 5-8 work days
- Payment Terms: L/C, T/T
- Supply Ability: 50PCS/Month



#### Product Specification

- Model: YT202s
- Dimension: 2788\*1686\*1375mm
- Warranty: 1 Year
- Name: SMD Chip Mounter, SMT Pick And Place Machine
- Application: SMD Production Line, SMT Production Line, for SMT Machine
- Condition: New, 100% Original, Brand-new
- Weight: 1700KG
- Mounting Speed: 80000 CPH
- Feeders: 32pcs
- Pcb Thickness: 0.5-5 Mm



#### More Images



## Product Description

### Panel light SMT picking and place machine with 80000cph and R&D software

model:YT202S  
 Heads:20PCS  
 Weight:1700kg  
 Mounting Speed:80000CPH  
 Power:380AC 50HZ  
 Feeder:32pcs  
 Core Components:Motor  
 Brand:ETON  
 Visual camera:4set of imported camera  
 Place of Origin:Guangdong, China



### After-sales service system

the whole machine warranty for 1 year, for Life!

Regularly visit customers to understand the use of the situation, collect customer opinions!

Regularly provide customers with the latest production technology and equipment information!



### SMT line process

#### Step 1:

Semiautomatic Stencil Printer Machine

In the SMT line for print the solder paste on the PCB.

Max PCB thickness:0.5-4.5 mm

Dimension: 2788\*1686\*1375 mm

Weight: 1700 kg

Very easy for operate and can be set multiple printing methods

#### Step 2: Automatic Pick And Place Machine

Pick and place machine is the most important machine in SMT Line, it directly influence the line capacity.

Yt202s is honor series pick and place machine, mounting Resistor, Capacitor, Bridge rectifier, etc.

#### Step 3 :Conveyor Machine

Transfer PCB boards between two machines, play a role in buffering and testing

One section of control , two sensors.

One set of electric control box

#### Step 4: Reflow Oven Machine

Heating system adopts high efficiency and energy saving nickel heat pipe, radiant power peak wavelength 4UM, with curved reflector cover, high thermal efficiency, fast temperature rise, special forced hot air circulation structure system, so that

PCB and components are heated more firmly

#### FAQ

Q: which kind of raw material should be prepared for SMT line?

A: you need to prepare mainly include: PCB, Solder paste, Components, Feeders, Nozzles etc.

Q: Can you support whole SMT line?

A: yes, we can provide whole SMT line solution if you want, we are professional in this field.



**Shenzhen Eton Automation Equipment Co., Ltd.**



0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG  
STREET, BAOAN, SHENZHEN, CHINA