



two model 20 heads 90000CPH automatic SMD mounting machine for 0201 STOP

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: ccc,ce,risa
- Model Number: YT-202
- Minimum Order Quantity: 1
- Price: FOB USD 58000/sets
- Packaging Details: Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.
- Delivery Time: 30 days after deposit
- Payment Terms: L/C, T/T
- Supply Ability: 50 sets per month



Product Specification

- Name: YT-202 Pick And Place Machine
- Place Of Origin: China
- Warranty: 1 Year
- Mounting Height: <36mm
- Dimension: 2317*1376*1762mm
- Power: 380AC 50HZ
- Power Consumption: 8KW
- Mounting Speed: 90000CPH
- Total Weight: 1700kg
- Visual Camera: 2 Sets Of Imported Camera
- Drive Way: High-end Magnetic Linear Motor +servo Motor

Product Description

two model 20 heads 90000CPH automatic SMD mounting machine for 0201 STOP

Features of SMT smd mounting machine head flight vision Recognition Camera

mark recognition:high precision Mark recognition system,adopt 3-color illumination recognition,apply to any shape mark and lens,Wider range of applications.

Fived high pixel flight vision camera:high speed flight vision camera,quickly captures multiple head images at once,perform visual calibration,alignment correction,adjustable light source brightness.

Smart Double-head Tape feeder

Support YT series double head intelligent electric tape reel feeder,by optically correcting the feeding position of the component.it can achieve stable, accurate and high-speed feeding

Ultra high speed capability

adopt high end magnetic linear motor,servo system and multi function modular head,the capacity increased by 25% compared with traditional machine,optimum placement speed reach 90000CPH.

Pictures of pick and place machine



Technical parameter of SMD mounitng machine

| | |
|------------------------|--|
| PCB length width | Double module&Double rail: MAX:500x300mm MIN:50x50mm Single module&Single rail: MAX:500x450mm MIN:50x50mm |
| Components | 0201 IC 10mm pqckages and IC etc Mounting Height:10mm |
| Mounting speed | 90000 CPH |
| Mounting precision | ±0.03mm(Repeat precision) |
| No. Of feeders station | 32PCS(Double material feeder, can load 64 trays of material) |
| Power | AC380 50Hz |
| Air supply | 0.4-0.6Mpa (4-6Kgf/) |
| Vacuum detection | Independent vacuum detection of reclaiming material |
| Dimension | L 2317 X W 1376 X H 1762 |
| Total weight | 1700kg |

Our Services

Attention

1. Before using the Pick and Place machine, you must understand the basic parameters of the placement machine;
2. Before running the Pick and Place machine, the operator should do a comprehensive inspection of the machine.
3. According to the boot operation sequence to implement the Pick and Place machine, there must have a detailed machine operation instructions;
4. It is necessary to conduct regular troubleshooting and maintenance work on the Pick and Place machine in a timely manner.

After-sale Service

we will send our engineer to your factory to install machine and training freely.

We have service office in india, and have indian engineer in delhi and mumbai. Can support quickly.

Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

FAQ

1, What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

2, What is the delivery date?

We will deliver the goods after 30 days' deposit.

3, What mode of transport does the goods adopt?

Our mode of transportation is very flexible. Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

4, What is the direction of transmission of machines?

The transmission direction of this machine is single direction. From left to right or from right to left.

5, How about your operating system?

The operating system is Windows 7. The software is developed independently. It supports Chinese and English operation interface. And It has simple structure and is easy to operate.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA