34 heads with LED tube smd mounting pick and place machine in production line

Basic Information

- Place of Origin:
- ETON • Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1PCS
- Packaging Details: We use vacuum wooden box packaging

CHINA

CCC,SIRA

HT-F7S

- Delivery Time: 5-8days L/C, T/T
- Payment Terms:
- Supply Ability: 50pcs/month



Product Specification

• Model:

Our Product Introduction

for more products please visit us on smtmountingmachine.com

- Length:
- Width:
- Height:

• Total Weight:

HT-F7S

2700mm

- Mounting Speed:

2300mm	
1550mm	
1700kg	
150000CF	PH-180000CPH



More Images



34 heads with LED tube smd mounting pick and place machine in production line

F7S

- 1.34 Suction nozzle, 68 Feida material stations
- 2. Suitable for 0.6, 0.9, 1.2 m tubes and 0.5, 1 m soft light strips
- 3. RGB can be mounted, and the production capacity exceeds 150K

4. Linear motor is adopted for X and Y axis, which makes the speed faster, the mounting accuracy higher and the service life longer

5. Visual alignment+MARK correction, stable mounting.

Technical parameter

Technical parameter		
Model	HT-F7S	
Dimension		
Length	2700mm	
Width	2300mm	
Height	1550mm	
Total Weight	1700kg	
РСВ	·	
PCB Length Width	Max:1200*330mm Min:100*100mm	
PCB Thickness	0.5-5mm	
PCB Clamping	Adjustable pressure pneumatic	
Mounting Mode	Group picking and separately placing	
0.S.		
System	Windows7	
Software	R&D independently	
Display	Touch screen monitor	
Input Device	Keyboard, Mouse	
Vision System		
No. of Camera	5 sets (Digital camera)	
	Vision alignment, MARK correction	
Repeat Mounting Precision	±0.02mm(Repeat precision)	
Mounting Height	≦5mm	
Mounting Speed	150000~180000 CPH	
Components	LED 3014/ 3020/ 3528/ 5050 and capacitors, resistors, bridge	
	rectifiers, etc.	
Components Space	0.5mm	
Power	380AC 50 HZ	
Power Consumption	6kw	
Operating Environment	23 ±3	
Conveyor Transmission	Max Length :1200 mm	
Transmission Speed	>500mm/sec	
Transmission Direction	Single(left \rightarrow right or right \rightarrow left)	
Transmission Mode	Online drive	
Positioning way	Optical	
Air supply	0.4-0.6mpa (4-6kgf/cm ²) 150N/min	
Electrical control	Independent research and development by ETON	
Motion control card module		
1 set	Independent research and development by ETON	
X,Y,Z Axis Drive way	High-end magnetic linear motor+ Servo motor	
Feeding System	1	
No. of Feeders Station	68 PCS	
No. of head	34 PCS	
Feeding way	Electric feeder with double motor	



ETON Advantages

- 1. ETON has more than ten years of experience in the SMT industry and has its own R&D team
- 2. ETON has 52000 square meters of industrial park, supporting CNC/OEM
- 3. The shell and frame of ETON machine are independently designed and developed
- 4. ETON machine parts are all imported famous brands
- 5. ETON machine software is independently developed and supports lifelong free updates
- Conclusion: ETON is your best choice.

Exhibition

Every year, we go abroad for exhibitions, such as India, Egypt, Türkiye, Pakistan, Iran, Vietnam, etc.



FAQ

Q: What is your payment terms?

A:100% payment before delivery or 50% deposit in advance and the rest before shipment. Q:How are your products packaged?

A:All machines are packed with vacuum and wooden packing like the one in the pictures.

Q:I'd like to know how your machines are transported?

A:We ship to world wide from china mainland using air mail by EMS, UPS, DHL or TNT or as your request for parts. --- Sea shipping for machine.

Shenzhen Eton Automation Equipment Co., Ltd.

0086 13670197725 (Whatsapp/Wechat) Sinda@eton-mounter.com Sintmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG

STREET, BAOAN, SHENZHEN, CHINA