



AC220V 50Hz PCB Pneumatic Stencil Cleaning Machine SUS 304 Structure

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CE,CCC
- Model Number: ET-SME750
- Minimum Order Quantity: 1 set
- Price: FOB USD 100~500/sets
- Packaging Details: Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.
- Delivery Time: 30 work days after deposit
- Payment Terms: T/T
- Supply Ability: 50 sets per month



Product Specification

- Name: Pneumatic Stencil Cleaning Machine
- Stencil Size: 750(L) × 750(W) × 40mm(H)
- Warranty: 1 Year
- Weight: 200Kg
- Condition: New
- Power Supply: AC220V 50Hz
- Clean Time: 2 3 Min solder Paste
- Printing Accuracy: ±0.025mm
- Highlight: **AC220V Pneumatic Stencil Cleaning Machine,
SUS 304 Pneumatic Stencil Cleaning Machine,
Modular smt stencil cleaning machine**


Product Description

AC220V 50Hz PCB Pneumatic Stencil Cleaning Machine

Main Features:

1. Can clean solder paste stencil, red glue stencil, copper board, resin board with different cleaning liquid.
2. SUS 304 structure, Acid and Alkali corrosion resistance, 10 years lifespan.
3. All the pipe, Angle seat valve and other parts are SUS304
4. Driven by compressed air, no electricity at all, safe.
5. Special designed rotate rod and nozzle, ensure good cleaning quality and guarantee stable stencil tension.
6. One button easy operation, clean and dry complete automatically.
7. Inner-lock safety door, once open, machine stopped immediately to ensure operator safety.
8. 3-class precise filtering system to make liquid clean by recycled use.
9. Modular design, easy to maintain and repair

Just one key operation, clean+dry process, good clean result, right for all kinds of stencil



Auto add or discharge function; very easy to add in or discharge clean liquid



Top cover controlled by cylinder; cover open when air dry process, over shut when machine cleaning or standby

S-shape air exhausted pipe

Main Specification of Pneumatic Stencil Cleaning Machine:

Item	Technical Spec
Stencil size	750(L) × 750(W) × 40mm(H) as max
Liquid tank	40 L as max
Clean method	360° rotation, double side liquid spray wash
Clean time	2 ~ 3 Min (solder paste)
Air blow dry time	3 ~ 5Min
Air supply	0.5 ~ 0.7 Mpa
Air flow	400 ~ 600 L/Min
Vent size	Φ124×30mm(H) max air speed 3m/sec
Filter system(3 class)	1st class/2nd class:1mm /50um (impurity and lables)

	3rd class:1um (solder balls)
Machine weight	about 200Kg
Machine size	800(L)×950(W)×1630(H)mm

PCB Pneumatic Stencil Cleaning Machine



Our Products

SMART SMT Series



TOP MANUFACTURER OF FULL SMT LINE SOLUTION



After-sale Service

What service you can enjoy if you purchase LED SMT pick and place machine from us:

- 1) Professional sales manager of LED SMT machine, provide professional suggestion and service to you !
- 2) 24 hours online service and technical support, solve your questions quickly!
- 3) Sound company organisation and working system, guarantee you a fast delivery!
- 4) Supply you all the SMT processing related machines and devices with best prices!

Contact to me:

Ethel whatsapp/wechat:008613824337025

email:ethel@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA