

# CCC for SMT line two independent direct full automatic vision stencil printer machine

### **Basic Information**

Place of Origin: ChinaBrand Name: ETON

• Certification: CCC, CE, SIRA

Model Number: ET5235Minimum Order Quantity: 1 set

Packaging Details: vacuum package, wooden case

Delivery Time: 30 daysPayment Terms: T/T

Supply Ability: 50 sets/month



## **Product Specification**

Weight: 700KGCondition: New

• Plate Type: Screen Printer

 After-sales Service Engineers Available To Service Machinery Provided: Overseas

Automatic Grade: Automatic
Warranty: 1 Year
Pcb Thickness: 0.6~6mm

Name: Automatic SMT Stencil Printer



# More Images





#### **Product Description**

#### Machine feature

PCB Transport and Clamping system: the PCB loading direction can be selected and combined freely, unique crafted internal gear conveyor belt to prevent jamming, adopt flexible side clamps and segmented supports to effectively clamp the PCB to ensure a fully balanced contact between the PCB and the steel mesh

Scraper system: cast aluminum scarper beam to ensure smoother running of scarper, programmable suspension self-adjusting stepper motor drives print head, embedded scale, never fall of.

Operation interface: easy to learn and easy to use friendly operation interface, make program files with teaching and navigation functions, with prompts for each step, one key switch between Chinese and English, with operation log, fault record analysis and diagnosis and other functions

Image and optical system:X,Y axis adopts high-precision grinding ball screw, driven by servo motors at both side.

#### Technical parameter

Screen Frames max size	737mm
Screen Frames min size	470mm
Screen Frames thickness	25~40mm
PCB size(L* W)	Max size:520mm*350mm
	Min size:50mm*50mm
PCB Thickness	0.6-6mm
PCB warpage	1%(Max PCB diagonal)
Transport height	900±20mm
Transport direction	Left-Right; Right-Left; Left-Left; Right-Right
Transport speed	Max 1200mm/s Programmable
Squeegee pressure	0~10kg/cm
Squeegee angle	55 Standard
Squeegee type	Steel scraper(Standard),PV scraper(Option)
Stencil separation speed	0.1~20mm/sec Programmable
Cleaning system	Dry,Wet,Vacuum (Programmable)
Table adjustment ranges	X:±5mm;Y:±5mm;0:±2
Printing accuracy	±0.025mm
Cycle time	≤9s (Exclude printing & cleaning)
Product changeover	<5Min
Air required	2
Power input	4.5~6kg/cm
Control method	AC:220±10%,50/60HZ 1Φ3KW
Dimension	PC control
Weight	1240(L)×1450(W)×1650(H)mm
PCB transfer overhead height	10mm

# Company show

#### Exhibition

Every year, we will participate in various exhibitions at home and abroad. You will see the back of Eton in various large-scale exhibitions. However, in recent years, due to the epidemic, the exhibition activities have been cancelled. I hope to meet you at the exhibition after the epidemic is over.

#### Package

We have to pack in vacuum wooden cases to ensure the safety of the goods in the transportation process. Our packaging process is in the charge of professionals, and foreign trade salesmen track the delivery throughout the process



#### FAQ

Q:Why choose us?

- A: We provide professional in SMT line for 11 years, with strong production and strong capacity and R&D team, Has provided a lot of clients with modern SMT production line solutions.
- Q: What about the shipping methods?
- A: A variety of transportation methods for you to choose. By sea, air and road.
- Q: Do you have service office in India?
- A: Yes, we have service office in Deli and Mumbai, and we have three India local engineers can support quickly.

Q: What is the mounting modeof your SMT machine?

A: Our multifunctional pick and place machine can group picking and separately placing or separately picking and separately placing, high-speed pick and place machine can group picking and group placing.

# Shenzhen Eton Automation Equipment Co., Ltd.

**O**086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET,BAOAN,SHENZHEN,CHINA