

# Min 0201 Chip SMT Placement Machine Multi Modular Head Automatic Optimization

## **Basic Information**

Place of Origin: ChinaBrand Name: ETON

Certification: CE,CCC,SIRA

Model Number: YT-20 Minimum Order Quantity: 1 set

• Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

Delivery Time: 30 daysPayment Terms: T/T

Supply Ability: 50 sets per month



## **Product Specification**

Warranty: 1 Year

• Applicable Components: Min 0201~40\*40 Mm Tape Reel Packages

And IC Tray Feeder Etc.

• Name: SMT Value Series YT-20 Pick And Place

Machine

• Application: LED Lights, Electrical Products, Household

Appliance

Power Supply: 380AC 50HZ
Weight: 1700KG
Mounting Speed: 80000 CPH

• Dimension: 2788\*1686\*1375mm

Pcb Thickness: 0.5-4.5 Mm

• Highlight: 0201 Chip SMT Placement Machine,

Automatic Optimization SMT Mounter,

Al intelligent SMT Mounter



#### **Product Description**

## Apply Min 0201 chip automatic optimization SMT placement head

#### Machine main features

Adopt High speed multi modular head, apply to ultra small chip 0201~40\*40mm large chip, wider component range; Brand new flight vision camera improve recognition performance, size up to 40\*40mm, apply to BGA or CSP etc; Vacuum sensing device: Each placement head with independent detection function, which improves the stability of the equipment and the reliability of the product;

Ultra high speed capability: Adopt high-end magnetic linear motor, servo system and multi function modular head, the capacity increased by 25% compared with traditional machine, optimum speed reach 80000 CPH;

Brand new self-developed high precision placement head;

Combine high accuracy Mark recognition camera with fixed flight vision camera, ensure placement accuracy;

Double side docking cart slot 32PCS,tape reel packages:64PCS(single side docking cart slot 16PCS,tape reel

packages:32PCS), freely switching between docking cart and IC tray feeder(IC tray feeder:Option)

Smart Double-Head tape feeder: Support YT series double head intelligent electric tape reel feeder, by optically correcting the feeding position of the component, it can achieve stable, accurate and high-speed feeding;

The placement head adopt independent vacuum detection, improve placement performance;

Off-line programming, save time of changeover cycle;

Software Al intelligent learning function and automatic optimization function.


Two gantry, 20 spindles\*2 Gantry, total 40 spindles;

Flexible PCB handling capabilities, double rail, both gantry can mount the same large PCB at the same time, realizing flexible production.

## Machine main parameter

Machine main parameter	
Model	YT-20
PCB size	Max size: 500*450 mm(Single side) 500*300(Double side) Min size: 50*50 mm
PCB thickness	0.5-4.5 mm
PCB clamping	Cylinder clamping, track width adjustable
Rail	2 rail, 2 gantries(Rail 1,4 are fixed rail)
Software	R&D independently
Production management MES system	Customized (Option)
Off-line programming	Available
Camera	Bottom vision camera recognition/ Flight identification camera
Repeat precision	±0.02 mm
Mounting height	≦15mm
Position mode	Optical
Optimal speed	80000 CPH
Component range	Min 0201~40*40 mm tape reel packages and IC tray feeder etc.
Position mode	Optical
No.of heads	Double side docking cart slot 32PCS,tape reel packages:64PCS(single side docking cart slot 16PCS,tape reel packages:32PCS),freely switching between docking cart and IC tray feeder(IC tray feeder:Option)
Feeding way	Intelligent double head feeder
X,Y,Z Axis drive way	High-end magnetic linear motor + Servo motor

## **Machine application**



### Certificates

As an experienced manufacturer in SMT machine, we obtained a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, with our won R&D department for production and inspection. And also earned the oversea certificates as CE, CCC, SIRA,



#### Market



#### **Packages**

- Step 1: Wrap with stretch film to prevent the equipment from.
- Step 2: Vacuum paper packaging and moisture-proof bag, so that the machine can be kept dry during transportation to prevent moisture.
- Step 3: Use straps and triangular wood to fix the machine to prevent damage to the machine during transportation.
- Step 4: Each exported machine will be equipped with sturdy export wooden boxes, to ensure that the delivered product is good.



#### Related machine

## We can provide a whole SMT production line, led light production line:

- 1. Pick and place machine
- 2. Loader machine
- 3. Conveyor machine
- 4. Stencil printer machine
- 5. Reflow oven machine
- 6. Unloader machine
- 7. Solder paste mixer
- 8. Roll to roll led strip light assembly machine



Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



e smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA