



80000CPH Intelligence Double head Feeder motor multifunctional mounter for LED BULB ,Street light

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC CE SIRA
- Model Number: YT20
- Minimum Order Quantity: 1 set
- Packaging Details: vacuum package, wooden case
- Delivery Time: 30 days
- Payment Terms: T/T
- Supply Ability: 50 sets/month



Product Specification

- Warranty: 1 Year
- Application: Downlight, LED Bulbs, street Light, power Drive
- Name: SMT Mounter Machine
- Power Supply: 380AC 50HZ
- Condition: 100% Original
- Weight: 1700KG
- Demension: 2788*1686*1375mm



Product Description

80000CPH Non replace modular head pick and place machine

YT-20 is the honor series pick and place machine in our company.

It has features such as Ultra-high-speed Capability, flexible productivity, high reliability and transmission system structure.

Application



BULB



STREET LIGHT

High speed multi modular head:

Adopt High-speed multi modular head, apply to ultra small chip 0201~40*40mm large Chip, wider component range.

Ultra-high-speed Capability:

Adopt High-end magnetic linear motor, servo system and multi function modular head.

Flexible production:

With corresponding component size Optical Recognition Camera 4 sets (MARK recognition and Fixed flight vision camera)

Suitable for various feeders (freely switching between docking cart and IC tray feeder):

Including Docking Cart (Double side docking cart slot 32pcs, tape reel packages: 64pcs; single side docking cart slot 16pcs, tape reel packages: 32pcs), Smart Double-head Tape feeder and IC tray feeder

The Details

We can customize the production management MES system including your requirements.

About our machine outline dimension

length	2788mm
Width	1686mm
Height	1375mm
Total weight	1700kg

Our machine of YT20 can carry single and double PCB.

Size	Max size: single PCB 500mm*450mm Double PCB 500mm*300mm Min size: 50*50mm
Thickness	0.5-4.5mm
Clamping	Cylinder clamping, track width adjustable
Mounting height	≤20mm

About Transmission

Transmission direction	Standard: single direction
------------------------	----------------------------

Transmission mode	Online drive
Position mode	Optical

Other

Operating environment	23 ±3
Air supply	0.4-0.6mpa (4-6kgf/cm²)150N/min

PAYMENT

Standard payment terms: 100% T/T before shipping

Online trade assurance order, all is up to you.

More payment terms could be provided (T/T, PAYPAL, western UNION)

SHIPPING

It takes about 3 working days to arrive your address by DHL, TNT, FEDEX. And it take about 25-35 workdays to arrive your address by sea.

Professional goods shipping forwarder.

SMT Peripheral Automation equipment

Full automatic vision stencil printer machine

Programmable suspension printing head

Two sets of stepping motor drive , the pressure of front and rearscraper can be adjusted separately to ensure the inconsistency offront and rear printing caused by fatigue deformation of scraper

Effectively control travel , improve printing efficiency , and prevent the leakage of solder paste

Standard stainless steel scraper , unique design , improve the service Life of the blade ;

CNC guide rail adjustment

Operating system Windows7, Independent R & D software , Touch - screen LED display , keyboard , mouse input

Built - in software diagnostic system

SMEMA interface



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA