

servo motor control smt mounting machine led light making machine for roll to roll strip light

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Name:	Pick And Place Machine
 Nozzles: 	68 PCS
• Feeders:	68 PCS
 Mounting Mode: 	Group Picking And Separately Placing
• Speed:	250000CPH
• PCB Size:	250mm*any Length
• No Of Camera:	5 Sets,digital Camera
Components:	LED 3014/3020/3528/5050 Resistor Capacitors
• Power:	380AC,50 HZ
• Air Supply:	Optical

CHINA

ETON

1 set

T/T

ccc ce,rise HT-T9

USD 60000~80000/sets

30 days after deposit

50 sets per mouth

Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.

HT-T9 250000CPH smd led mounting machine surface mounting machine for soft lamp

Features of SMT pick and place machine

1,Soft lamp tape special high-speed mounter

2, High Precision: Five sets of imported cameras are equipped with visual alignment, mark correction technology and optical positioning technology to accurately identify the position of PCB board and quickly and accurately mount components. 3, High Speed: Applying the exclusive patented technology of group-based and group-based pasting, the pasting speed is 200000 CPH, 68 feeders station and 68 nozzles. It can automatically transmit on-line. And It can produce 2-4 kinds of materials at the same time, which greatly improves the efficiency.

4, Strong durability: The quality of hardware equipment is guaranteed by certificate, the quality of dual motor electronic flying and guide rail and screw is guaranteed, which can support 24-hour operation.

5, Simple operation: Windows 7 system can be used to switch the Chinese-English interface, usually 3 to 5 days training of operation is enough.

6,Components:LED 3014/3020/3528/5050 and resistors,capacitors,bridge rectifiers.

Technical parameter of Pick and place machine

HT-T9 pick and place machine		
PCB	PCB length width	250mm*any length
	PCB thickness	0.5~1.5mm
	PCB clamping	Adjustable pressure pneumatic
	Mounting mode	Group to take and group to mount
	software	R&D independently
	display	LED monitor
	Input device	Keyboard , mouse
Vision System Tr Tr X,	No.of camera	5 sets of imported camera
		Vision alignment, mark correction
	Mounting height	<5mm
	Mounting speed	200000CPH
	Components	LED 3014/3020/3528/5050 and
		resistors,capacitors ,bridge rectifiers.
	Components space	0.5mm
	No.of feeders station	68PCS
	No.of nozzles	68PCS
	Power	380AC 50HZ
	Power consumption	6KW
	Transmission direction	Single (left to right or right or left)
	Transmission mode	Auto online drive
	X,Y,X axis drive way	Servo motor + High-end magnetic linear
	Feeding way	Electric feeder with double motor



Application of HT-T9 production line

this production line suitable for roll to roll, soft lamp with 100meter strip light, etc



Multicolor led strip light, suitable for differernt length

Market

ETON as the leading manufacturer of global optoelectronic high speed pick and place machine, the products are exported more than 20 countries and regions, including India, Vietnam, Tunisia, Egypt, Turkey, Russia, Thailand, etc.



After-sale Service

- What service you can enjoy if you purchase LED SMT pick and place machine from us:
- 1) Professional sales manager of LED SMT machine, provide professional suggestion and service to you !
- 2) 24 hours online service and technical support, solve your questions quickly!
- 3) Sound company organisation and working system, guarantee you a fast delivery!
- 4) Supply you all the SMT processing related machines and devices with best prices!

Contact:

Mobile: +86 13824337025 Whatsapp: +86 13824337025 Fax: +86 0755 29502066 Skype: live:.cid.d2d6dadf9357778a wechat: 13824337025 E-mail: ethel@eton-mounter.com

Shenzhen Eton Automation Equipment Co., Ltd.

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA