



Screen Printer SMT Production Line LED Flexible Strip Automatic Stencil Printer

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CE,CCC,SIRA
- Model Number: ET-AL1025L
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.
- Delivery Time: 30 days
- Payment Terms: T/T
- Supply Ability: 50 sets per month



Product Specification

- Weight: 600KG
- Condition: New
- Plate Type: Screen Printer
- After-sales Service Provided: Engineers Available To Service Machinery Overseas
- Automatic Grade: Automatic
- Dimensions(l*w*h): 1754(L)X1249(W)X1600(H)mm
- Warranty: 1 Year
- Product Name: Automatic SMT Stencil Printer Machine
- Highlight: Flexible Strip Automatic Stencil Printer, Screen Printer SMT Production Line, LED Strip Automatic Stencil Printer



Product Description

SMT production LED flexible strip automatic stencil printer

Description

- Programmable suspension printing head;
- *Two sets of stepping motor drive, the pressure of front and rear scraper can be adjusted separately to ensure the inconsistency of front and rear printing caused by fatigue deformation of scraper material;
- *Effectively control the stroke, improve the printing efficiency, and prevent the leakage of solder paste;
- Standard stainless steel scraper, unique design, improve the service life of the blade;
- Downward vision alignment system;
- CNC guide rail adjustment;
- Industrial controlled computer, Windows XP interface operating system;
- Built-in software diagnostic system;
- SMTA interface.

Technical parameter

Screen Frames	Min Size	850mm
	Max Size	550mm
	Thickness	25~45mm
FPCB Min Size		50mm
FPCB Max Size		260mm
FPCB Thickness		0.5~5mm
FPCB Warpage		Max. FPCB diagonal 1
Transport Height		900±40mm
Transport Direction		Left-Right
Transport Speed		Max 1000mm/S Programmable (Adjustable)
Board Location	Support System	Platform jacking tension
	Clamping System	Edge clamp fixed
Print head		Two independent motorized print heads
Squeegee Speed		6~300mm/sec
Squeegee Pressure		0~10Kg/cm ²
Squeegee Angle		55°(Standard)
Squeegee Type		Stainless steel(Standard), plastic
Stencil Separation Speed		0.1~20mm/sec Programmable
Cleaning System		Manual cleaning
Table Adjustment ranges		X:±5mm;Y:±5mm;θ:±2°
Machine		
Repeat Position Accuracy		±0.01mm
Printing Accuracy		±0.025mm
Cycle Time		≤9s (Exclude Printing & Cleaning)
Air Required		4.5~6Kg/cm ²
Power Input		AC:220±10%,50/60HZ 1Φ 1.5KW
Control Method		PC Control
Machine Dimensions		1754(L)X1249(W)X1600(H)mm
Machine Weight		Approx:600Kg
FPCB transport over plate height		20mm

Market

Our products had exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil etc. And here are some of our big customers:
SURYA, POLYCAB, FIEM, RK, GK, TECHNO LED, CALCOM, ACK, KENDAL, RangDong, UNISTAR, and so on.



Customer group photo and customer factory



Packages

Our package step is follow the blowing:

STEP 1: Film packaging to prevent the dust and water;

STEP 2: Packing in a foam cotton stretch a film to protect the outside of the machine;

STEP 3: Vacuum paper package and moisture proof bag, to keep dry during the transportation;

STEP 4: Equip with sturdy wooden boxes to ensure the safety of the machine, then transportation by trucks to the specified port.

Delivery: by sea, air, land transport.

Step 1: Pack the machine in a foam cotton and stretch the film to protect the outside of it. Step 2: vacuum paper package and moisture proof bag, to keep dry of the machine during transportation to prevent moisture.



Step 3: Each exported machine will be equipped with sturdy wooden boxes, to ensure the safety of the machine.



Package
Noah+8613632769526

Step 4: Transportation by trucks to the specified port. For the feeders and some spare parts usually we'll pack it separately with box.



FAQ

Q. What is your actual speed of your products?

A. For the actual speed of the machine which is constrained by many factors, that related to the number of the components, the time to send PCB board and receive the board that will have influence on the speed when in production, and is decide for the actual products and needs.

Q. Can you accept CIF as the quoted price?

A. We only accept EXW as the quoted price for it is convenient and lower cost for both sides.

Contact me:

Whatsapp/Wechat: +8613632769526

Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA