

# 68 Heads LED Pick And Place Machine 250000CPH High Speed For Strip

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: vacuum package, wooden case

China ETON

HT-T9

30 days

T/T

CCC, CE, SIRA

- Delivery Time:
- Payment Terms:
- Supply Ability: 50 sets/month




# **Product Specification**

- Warranty:
- Name: • Weight:
- 1 Year SMT Pick And Place Machine 1700kg 380AC 50HZ
- 3100\*2300\*1550mm
- Speed:
- Feeder:

• Dimension:

• Power Supply:

- Program Method:
- Condition:
- Highlight:
- 250000CHP
- 68pcs
- Online And Offline Ways
- Brand-new
  - LED Pick And Place Machine 250000CPH, Strip LED Pick And Place Machine, 68 Heads Pick Place Machine



# More Images





# **Product Description**

### **Product description**

1, The SMT high speed mounter HT-T9 is designed with 68 suction nozzles and 68 feeding stations. It is controlled by two arms, with 34 suction nozzles controlled by one arm each. Among them, 34 suction nozzles are divided into two groups, each with 17 nozzles, and each group is jointly controlled by a servo motor and a corner motor.

2, The four different materials of a product can be pasted simultaneously, which can accelerate product production without affecting high productivity.

3, The mounter HT-T9 is suitable for one-time mounting of soft light strips with a length of 5 meters, 20 meters, 50 meters, or even more.

4, During mounting, a single plate of material can be attached separately, and the same plate of material is always attached to the same light bar.

5, Calibration automatically, high precision, available for RGB.

6,Exclusive patent technology:group to take and group to mount.

### **Equipment Details**

### Linear magnetic levitation motor

The stator itself is a permanent magnet, and the interaction between the moving stator and the magnetic pole causes repeated movement of the mounting head.



# Linear magnetic levitation motor

#### Transportation platform

Transport the PCB board to the designated location, the platform has an adsorption function, which is conducive to adsorption of soft PCB boards.



# Transportation platform

Inlet and outlet plate inductor Detect if there is a PCB on the track.

### Parameter

Product name	SMT high speed mounter	
Model	HT-T9	
PCB size(mm)	Max:250*any length	
Mounting precision	±0.05mm	
Mounting height	≤5mm	

Mounting speed	200000-250000CPH
Components	LED3010/3020/5050/3525 resistors, capacitor,
	etc.
Components space	0.5mm
No.of feeders station	68 PCS
No.of heads	68 PCS
Positioning way	Optical
Feeding way	Electric feeder with double motor
X,Y Axis drive way	High-end magnetic linear motor and servo motor

### Certificates

Our company has obtained 9 invention patents, 12 software Copyrights and 112 practical patents Patent number: ZL 2011 2 0237740.9 ZL 20 11 2 0334606.0 ZL 2012 2 0178869.1 ZL 2012 2 0415505.0 ZL 2012 2 0415044.7 ZL 2012 2 0415356.8 ZL 2012 2 0415061.0

### Package

We usually use vacuum wooden boxes to package our products. Vacuum can be very shockproof and ensure the integrity of the product. If you have special requirements for packaging, we can also achieve them for you.

### FAQ

Q1: What are the trade terms commonly used by your company?

A: We usually use EXW and FOB.

Q2: What valuable services can I obtain after purchasing a SMT high speed mounter?

A: We will follow up all processes, help you clear customs, and do our best to ensure your interests. At the same time, after your production is on track, we will also visit regularly to share your latest industry information.

Shenzhen Eton Automation Equipment Co., Ltd.

**O086** 13670197725 (Whatsapp/Wechat)

Iinda@eton-mounter.com

© smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA