

# 136 Heads LED Pick And Place Machine 500000CPH High Speed For Strip

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: vacuum package, wooden case

T/T

China ETON

T9-2S

30 days

CCC, CE, SIRA

- Delivery Time:
- Payment Terms:
- Supply Ability: 50 sets/month



## **Product Specification**

- Warranty:
- Name:
- Power Supply:
- Condition:
- Weight:
- Mounting Speed:
- Type:
- Dimension:
- Feeders:
- Highlight:
- 1 Year SMT Pick And Place Machine 380AC 50HZ New 3100kg 500000 Automatic 3454\*3035\*1777mm 136
- 136 Heads LED Pick And Place Machine, LED Pick And Place Machine 500000CPH, Strip SMT Chip Mounting Machine



# More Images







### **Product Description**

The T9-2S is ETON latest dual track, dual system, ultra high-speed mounting machine for producing LED lead-free soft lamps. It is equipped with a high-speed integrated adjustable mounting head independently developed by ETON, and supports belt mounted LED, 3014, 3020, 2835, 5050, or resistors, capacitors, bridges, etc. Under optimal conditions, the production capacity can reach 500000 CPH.

#### Feature

ETON tech adjustable mounting machine placement head: Component picking position can be adjusted according to PCB pad pitch,min 6.5mm. Apply to LED,3014,3020,2835,5050, resistor, capacitor, bridge rectifiers etc. Wide component range. Ultra high speed capacity: The mounting machine placement head adopt the method of two times picking and once placing. The placement time greatly minimized with the improved placement way, excellent optimum capacity reach 5000000 CPH. Unique design components leaking detection and individual component refill function:recognition camera record the components leaking position of PCB, and fill the missing component accordingly, realize industry 4.0 unmanned workshop. Main parameter

Main parameter	
Product name	Mounting machine
Model	T9-2S
PCB size(mm)	Max:250(±10)*any length
PCB thickness	0.5-1.5mm
Mounting component height	5 mm
Mounting precision	± 0.05 mm
No.of camera	10PCS
No.of nozzles	136 PCS
No.of feeders station	136 PCS
Components	LED 3014/3020/3528/5050 and resistor,
	capacitors,bridge rectifiers.
Feeding way	Intelligent electric feeder with double motor
X,Y,Z Axis drive way	High-end magnetic linear motor servo motor

#### Application

Mounting machine T9-2S is mainly used for the production of soft light strips, and for the production of soft light strips of any length at ultra high speed, such as 0.5 meters, 1 meter, 5 meters, 10 meters, 50 meters, 100 meters, and 500 meters.



#### **Our Service**

Global Service Office: India.Turkey.Vietnam.Egypt.Pakistan

Professional solutions: Provide professional SMT Full line solutions

Free Warranty: One-year warranty factory service. All parts damaged within the warranty period shall be replaced free of charge

Free Installation: On-site free installation to ensure smooth production.

- Free Technical Training: Professional training of operating and maintenance.
- Free Technical Support: 7 \* 24 technical online support.

Free Software Upgrade: Offer free software upgrade whole lifetime

### FAQ

1. If there is a problem with the machine, can it be repaired?

A: Of course, the machine failure rate is 0.001, and in addition to the warranty period, we also provide you with free maintenance 1-2 times a year.

- 2. Is there any quality guarantee?
- A: We stick to quality first, client-oriented, Continuous improvement!
- 3. Why choose us?

for more products please visit us on smtmountingmachine.com

