

# LED Lighting Maching SMT Mounter 68 Heads LED Tube Making Machine 250000CPH

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



# **Product Specification**

- Warranty:
- Applicable Components:
- Name:
- Condition:
- Weight:
- Mounting Speed:
- Feeders:
- Highlight:

1	Year	
0	402	

CHINA

ETON

HT-F9

T/T

CE, CCC, SIRA

50 sets per month

SMT Pick And Place Machine

vacuum adsorption, wooden packing

30 days after receive the down-payment

- New,100% Original,Brand-new
- 1700kg
- 250000 CPH
- 68
  - LED Lighting Maching SMT Mounter, 68 Heads LED Tube Making Machine, LED Tube Making Machine 250000CPH





# More Images



## LED lighting maching mounter 68 heads LED tube making machine 250000CPH

## **Product description**

The double head magnetic levitation led high-speed chip mounter can mount four different materials at the same time without affecting the high production capacity. The fastest production capacity is between 200000-250000cph.

It is suitable for 0.6-1.2m hard lamp plate and 0.5-1m soft lamp strip. It can also produce 5-10m soft lamp strip through the back-end welding process.

The double patch head has four modules, each group has 17 suction nozzles, which can be pasted with 2-4 kinds of materials at the same time. A single disc can be pasted, and the same disc is always pasted on the same light strip.

It has the function of automatic material replenishment and automatic correction, and can be pasted with RGB

## Feature

1. The software independently developed by ETON company supports both Chinese and English versions, and can be upgraded free of charge for life to ensure your smooth production

2.Patch method is group take group paste

3. The maximum length supports 1200mm PCB

4. The combination of high-end Magnetic Levitation Motor and servo motor is adopted to ensure the mounting accuracy and service life to the greatest extent

#### Other advantages

Mounting component range: band mounted LED 3014/3020/3528/5050 or capacitance, resistance, bridge stack, etc.

Mounting element height  $\leq$  5mm.

#### Parameter

Length:	2700 mm
Width:	2300 mm
Height:	1550 mm
Total weight:	1700 kg
Mounting speed:	250000 CPH (optimum)
No.of heads:	68 PCS
No.of feeders station:	68 PCS
Feeding way:	Electric feeder with double motor
Components space:	0.5 mm
Components:	LED 3014 /3020 /3528 /5050 and resistor,capacitor, bridge rectifiers.
Conveyor transmission:	Max length: 1200 mm

#### Company show

ETON is not only in the leading position in the field of photoelectric high-speed mounter, but also has made a breakthrough in the field of SMT high-speed mounter. It has successfully developed a number of high-cost SMT high-speed universal mounter. Its products are widely used in lighting, display screen, electronics, driving power supply, household appliances, new energy and other industries.

#### Packaging

Step 1: Wrap with stretch film to prevent the equipment from.

Step 2: Vacuum paper packaging and moisture-proof bag, so that the machine can be kept dry during transportation to prevent moisture.

Step 3: Use straps and triangular wood to fix the machine to prevent damage to the machine during transportation. Step 4: Each exported machine will be equipped with sturdy export wooden boxes, to ensure that the delivered product is good.



## Service

Pre-sale service Provide suitable production plan Advise on plant electrical equipment and layout Sale service Report machine status in time Follow up and send test machine video After-sales service Engineers can arrive on site to teach operation and debug the machine 24 hours to deal with problems online, arrange engineers to solve problems Software lifetime upgrade Regular visit (one year warranty period, spare parts repair free; Once or twice a year after warranty)

# **Contact David**

Whatsapp/Wechat/Tel: +86 13827425982 E-mail: david@eton-mounter.com

