



T5-T10 Tube Light High Speed SMT Placement Machine with 250000CPH Capacity

Our Product Introduction

for more products please visit us on smtmountingmachine.com


Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CE,CCC,SIRA,ISO
- Model Number: HT-F9
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.
- Delivery Time: 30 working days
- Payment Terms: T/T
- Supply Ability: 50 sets per month



Product Specification

- Placement Head: 68Nozzle Heads
- Capacity Speed: 250000CPH
- Input Device: Keyboard,mouse
- System: Windows7
- Input Voltage: 380AC 50 HZ
- Power Consumption: 6KW
- Locan Service: India, Egypt, Turkey, Vietnam
- Weight: 1700kg
- Highlight: high speed SMT placement machine, 250000 CPH SMT placement machine, Tube Light SMT placement machine



More Images



Product Description

T5-T10 tube light 250000 CPH high speed SMT placement machine

Certificates

As a seasoned leader in the SMT machine manufacturing industry, we have garnered a multitude of intellectual property technologies, boasting an impressive portfolio that includes 14 invention patents, 135 practical patents, and 55 software copyrights. Our commitment to innovation is further exemplified by our dedicated in-house Research and Development department, ensuring cutting-edge production and inspection capabilities.

Moreover, our relentless pursuit of excellence has been recognized on the international stage, with the acquisition of esteemed overseas certifications such as CE, CCC, SIRA, and more. These certifications underscore our unwavering dedication to quality, compliance, and technological advancement, solidifying our position as a trusted and pioneering force in the SMT industry.



Features

Apply to the 0.6 M, 0.9 M, 1.2 M rigid PCB and 0.5 M, 1 M LED flexible strip. Producing with 4 types of materials at the same time with high capacity. available for board with any proportion of LED chip and resistor.

Dual arm four module, 17 nozzles for each mounting part, part A/B/C/D can be mounted separately or synchronously.

Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to take and group to mount.

Model	HT-F9
Dimension	
Length	2700mm
Width	2300mm
Height	1550mm
Total Weight	1700kg
PCB	
PCB Length Width	Max:1200*330mm Min:100*100mm
PCB Thickness	0.5-5mm
PCB Clamping	Adjustable pressure pneumatic
Mounting Mode	Group to take and group to mount
O.S.	
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	5 PCS (Digital camera)
	Vision alignment, MARK correction
Repeat Mounting Precision	±0.02mm (Repeat precision)
Mounting Height	≤5mm
Optimal Mounting Speed	200000~250000 CPH
Components	LED 3014/ 3020/ 3528/ 5050 and capacitors, resistors, bridge rectifiers, etc.
Components Space	0.5mm
No. of Feeders Station	68 PCS
No. of head	68 PCS

Power	380AC 50 HZ
Power Consumption	6kw
Operating Environment	23 ±3
Conveyor Transmission	Max Length :1200 mm
Transmission Speed	>500 mm/sec
Transmission Direction	Single(left→ right or right→ left)
Transmission Mode	Online drive
Positioning way	Optical
Air Supply	0.4-0.6mpa (4-6kgf/cm ²)150N/min
Electrical control	Independent research and development by ETON
Motion control card module 1 set	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor
Feeding way	Electric feeder with double motor

Market

ETON company which not only provide our high speed SMT machine in Chinese market, but also overseas market to let our customer enjoy one site service, efficient production and low consumption.



Machine application

Application: apply to the 0.6M,0.9M,1.2M rigid PCB and 0.5M,1M LED flexible strip. And also suitable for mounting tube, panel light ,bulb etc.

PCB size: Max:1200*330mm;Min:100*100mm.



HT-F9 suitable applications



**HT-F9 high speed mounter for about 250000 capacity.
Suitable to 0.5m, 1m tube and flexible strip**



Packages

As for the package of the machine, we put it in film packing and foam cotton, to prevent the dust and water of protecting the machine and keep dry of the machine during transportation, and equip with wooden boxes to transport to the specified port.



Contact me:
Whatsapp/Wechat: +8613632769526



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA