



Premium Visual Camera SMT Mounting Machine LED Making Machine 80000CPH

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Model Number: HT-E8D-1200
- Minimum Order Quantity: 1
- Price: FOB USD 81000/sets
- Packaging Details: Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.
- Delivery Time: 30 days after deposit
- Payment Terms: L/C, T/T
- Supply Ability: 50 sets per month



Product Specification

- Place Of Origin: China
- Name: HT-E8D-1200
- Warranty: 1 Year
- Dimension: 3150*2250*1650mm
- Total Weight: 2000kg
- Power: 380AC 50HZ
- Power Consumption: 8KW
- Mounting Speed: 80000CPH
- Mounting Height: <36mm
- Visual Camera: 2 Sets Of Imported Camera
- Drive Way: High-end Magnetic Linear Motor +servo Motor
- Highlight: **smt pick and place machine, smt pick and place equipment**



Product Description

Double module magnetic linear motor multifunctional pick and place machine

The Difference between Double Module LED lamp Machine and Single Module LED lamp Machine is that the double teeth whitening machine have dual system and to produce two different products at same time.


This is a multifunctional pick and place machine, it is can mounting LED,capacitors,resistors,IC,shaped components,etc.

This led bulb laser printing machine can meet the needs of producing two kinds of products at the same time. The mounting speed reaches 80,000 CPH, which greatly improves the production efficiency.

pick and place machine Function & Application	
features	Exclusive Patented Technology
Dual system,dual module multifunctional mounter.To produce two different products at the same time.	Electronic feeder feeding system
Mounting components:LED,capacitors,resistors,I C,shaped components,etc.	Vision alignment flight identification,mark correction
Application: power driver.electric board.lens.linear bulb.household appliance etc.	Non-stop material re-loading function
Component:min.size 0402 max.height 36 mm.	auto-optimization after coordinates generated ,etc

Technical parameter	
PCB	
PCB length width	Max:1200*300mm min:100*100mm
PCB thickness	0.5~5mm
PCB clamping	Adjustable pressure pneumatic
O.S.	
system	Windows7
software	R&D independently
display	Touch screen monitor
input	Keyboard mouse
Feeding system	
No. of feeders station	Dual mode ,totally 40
No.of nozzles	Dual mode,totally 16
Feeding way	Electric feeder with double motor

Application



Honour show

ETON advanced technology and innovation drives the revolution of market rapidly ,and obtains a number of intellectual property technologies. Including 9 invention patents,112practical patents,12 software copyrights.



Project cases



Patented Technology

Electronic feeder feeding system
 Vision alignment flight identification, mark correction
 Non-stop material re-loading function
 Auto-optimization after coordinates generated ,etc.

Our Partners

ETON advanced technology and innovation drives the revolution of market rapidly, and obtains a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, which save much labors and space of production, got large market share in USA, KOREA, INDIA, GERMANY, EGYPT, TURKEY, VIETNAM, TUNISIA, THAILAND more than 20 countries.

Honour show

ETON advanced technology and innovation drives the revolution of market rapidly, and obtains a number of intellectual property technologies, and rated as "shenzhen high-tech enterprise" "china high-tech enterprise" "shenzhen top brand" "2015 LED technology innovation award" "the 4th China LED first innovation award".

Packaging & Shipping

Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements. Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.

Our Services

Attention

1. Before using the Pick and Place machine, you must understand the basic parameters of the placement machine;
2. Before running the Pick and Place machine, the operator should do a comprehensive inspection of the machine.
3. According to the boot operation sequence to implement the Pick and Place machine, there must have a detailed machine operation instructions;
4. It is necessary to conduct regular troubleshooting and maintenance work on the Pick and Place machine in a timely manner.

After-sale Service

we will send our engineer to your factory to install machine and training freely.
 We have service office in india, and have indian engineer in delhi and mumbai. Can support quickly.
 Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

FAQ

1, What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

2, What is the delivery date?

We will deliver the goods after 30 days' deposit.

3, What mode of transport does the goods adopt?

Our mode of transportation is very flexible. Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG
STREET, BAOAN, SHENZHEN, CHINA