

5KW SMT Mounting Machine LED Bulb Production Machine With Visual **System**

Basic Information

. Place of Origin: **CHINA** Brand Name: **ETON** · Certification: ccc ce,rise HT-XF Model Number: • Minimum Order Quantity:

• Price: EXW USD 55000/sets

 Packaging Details: Our packing is made of wooden box with

vacuum package, and we promise to deliver

the goods within four weeks after payment.

. Delivery Time: 30 days after deposit

Payment Terms: L/C, T/T

. Supply Ability: 50 sets per mouth



Product Specification

• Place Of Origin: China 1 Year Warranty:

2700*1900*1530 Mm Dimension:

• Total Weight: 1300kg System: Windows7

R&D Independently Software: • Power: 380AC 50HZ

• Power Consumption: 5KW

• PCB Length Width: Max330*1200mm

• PCB Thickness: 0.5~5mm

. Mounting Speed: 150000~170000 CPH Highlight: smt pick and place machine, smt pick and place equipment



More Images



Product Description

Dual purpose professional high speed mounter ,the capacity reach 170000CPH

HT-XF is a special machine for mounting hard and soft strips, mounting components about LED 3014/3020/3528/5050 and resistors, capacitors, bridge rectifiers. Dual purpose professional high speed mounter, the capacity reach 170000CPH. 17 nozzles for each mounting module part A or B can be mounted separately or synchronously.

Advantages

- 1. Vision system: vision alignment ,mark correction with 5 sets of imported camera.
- 2. Dual module professional mounter,17 nozzles for each mounting module.
- 3. Fully automatic feeder feeding system to ensure the accuracy of placement speed machine placement machine.
- 4. XYZ axis by servo motor to drive ,Ensure that the machine can run at high speed for 24 hours.



Performance introduction

	TI:
	This special Mounter has a speed of 150000~170000 CPH.Can save space, labor costs,
High Speed and	management costs
High Precision	
3	No. Of feeder station:34PCS nozzles:34PCS
	Using High Stability Electronic Dual Motor
	The wear resistance of screw rod is not easy to deviate and has high accuracy.
Good durability	The second secon
	The guide rail has strong bearing capacity and high stability.
	High-quality hardware configuration for 24-hour machine operation.
	I light-quality flatdware configuration for 24-hour flactime operation.
	A transfer of all of the collections of the collection of the coll
	Automatic adjustment of the guide rails to improve work efficiency and portability without
	manual
auto-adjust	According to the thickness of the heard, it can automatically adjust the height of the top hear
	to charte the nathess of the FOD board.
	Simple programming, easy to understand and easy to learn, with independent research and
Easy to operate	
, , ,	7,
Easy to operate	According to the thickness of the board, it can automatically adjust the height of the top bo to ensure the flatness of the PCB board. Simple programming, easy to understand and easy to learn, with independent research ar development software, free upgrade forever, professional installation and training

HT-XF				
PCB	PCB length width	Max:330*1200mm min:90*330mm		
	PCB thickness	0.5~5mm		
	PCB clamping	Adjustable pressure pneumatic		
	Mounting mode	Group to take and group to mount		
	system	Windows 7		
		·		

o.s.	software	R&D independently
	display	LED monitor
	Input device	Keyboard , mouse
	No.of camera	5 sets of imported camera
		Vision alignment,mark correction
	Mounting precision	0.02mm(repeat precision)
	Mounting height	<15mm
	Mounting speed	150000~170000CPH
	Components	LED 3014/3020/3528/5050 and resistors, capacitors, bridge rectifiers.
	Components space	0.2mm
	No.of feeders station	34PCS
	No.of nozzles	34PCS
	Power	220AC 50HZ
Vision system	Power consumption	5KW
	Conveyor transmission	Max length:1200mm
	Transmission speed	>500mm/sec
	Transmission direction	Single (left to right or right or left)
	Transmission mode	Auto online drive
	Position mode	Optical
	Air pressure	>5.0kg /cm²
	Electrical control	Independent research and development by ETON
	Motion control card module 1set	Independent research and development by ETON
	X,Y,X axis drive way	Servo motor control for X,Y,Z axis
	Feeding way	Electric feeder with double motor

Company Information

Shenzhen ETON Automation Equipment Co. LTD. is a leading manufacturer of automatic high-speed pick and place machine focusing on "High efficiency Low consumption" in the word.ETON has created superior value for customers as the outstanding worldwide brand of high speed SMT machine with good reputation .looking forward to the future ,we believe that ETON will seek to better achievement in SMT field and make greater contributions to the industry and society.



Logistics and delivery

Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.



delivery packing

Filming packing
Make the machine sanitary, clean, sealed packaging, dust and humidity;
have good shock resistance, impact resistance, and good protection
performance with tightness and fixity.

vacuum packing Advantages of moistureproof, dustproof and so on

wooden packing
It has good cushioning performance, corrosion resistance, high strength
and hygroscopicity, moisture-proof and earthquake-resistant functions.

Honour show

ETON advanced technology and innovation drives the revolution of market rapidly ,and obtains a number of intellectual property technologies. Including 9 invention patents,112practical patents,12 software copyrights.



Our Cooperators

We have many excellent overseas customers and maintain long-term cooperative relationship. Customers are very satisfied with our products.



Before services

- $1)\ Professional\ sales\ manager\ of\ LED\ SMT\ machine,\ provide\ professional\ suggestion\ and\ service\ to\ you\ !$
- 2) 24 hours online service and technical support, solve your questions quickly!
- 3) Sound company organization and working system, guarantee you a fast delivery!
- 4) Design and provide the whole SMT processing lines for you based on your budget , workshop covering area with best prices!

After-sale Service

we will send our engineer to your factory to install machine and training freely.

We have service office in india, and have indian engineer in delhi and mumbai. Can support quickly. Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

Remarks

1.Payment terms: Deposit 30% in advance, the balance 70% should be paid before shipment by T/T.

2.Delivery time: 30 days after deposit. 3. Warranty: 1 year. (including spare parts)

FAQ

1. What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

2. What is the delivery date?

We will deliver the goods after 30 days' deposit.

3. What mode of transport does the goods adopt?

Our mode of transportation is very flexible. Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

4. What is the direction of transmission of machines?

The transmission direction of this machine is single direction. From left to right or from right to left.

5. How about your operating system?

The operating system is Windows 7. The software is developed independently. It supports Chinese and English operation interface. And It has simple structure and is easy to operate.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



e smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA