

# New SMT PCB Loader ET-390 For Full Automatic SMT Line

#### **Basic Information**

Place of Origin: CHINABrand Name: ETON

Certification: CE, ISO, CCC
 Model Number: ET-L330
 Minimum Order Quantity: 1 unit

• Price: USD 400~2000

Packaging Details: Vacuum wooden packing

T/T

• Delivery Time: 15-30 days

• Supply Ability: 50 Unit per mouth



## **Product Specification**

Payment Terms:

• Condition: New

• Dimension: L1400\*W860\*H1200±30mm

• Magazine Specifications: L460\*W400\*565mm

Maximum Size Of PCB: L450\*W330
Transmission Height: H=920±30

Controller: Mitsubishi PLC Programmable Controller

 Highlight: smt pick and place equipment, smt assembly machine

### ET-L330 send board machine



#### The characteristics of product

The advantage of automatic plate loading machine is that there is no need for special equipment foundation, placed on the hardened flat ground can be used with the plate feeding machine, reduce the labor intensity of the operator, improve the working efficiency, save labor, reduce production cost; The whole machine has no moving cables and electrical components to ensure the personal safety of operators; The whole equipment has the characteristics of simple and reasonable structure, flexible operation, reliable performance and wide application range.

#### **Features**

- 1, microcomputer control, stable and reliable work;
- 2, button or touch screen two kinds of control panel can be selected, man-machine dialogue is convenient;
- 3. Multiple sound and light alarm functions;
- 4, can use standard material box, strong versatility, can place three material rack;
- 5. The lifting step of the material frame can be set according to the thickness of PCB, and the step can be divided into four types (10,20,30,40mm).
- 6, feeding machine built-in push plate mechanism, avoid the need to buy a separate push plate machine;
- 7. With automatic counting function, convenient for production statistics; Equipped with signal communication structure, can be connected with other machines online

Technical Parameter:	
Item	HLD-330 send board machine
Dimension	L1400*W860*H1200±30mm
Frame	Special aluminum profile guide rail and special thousand bird type plastic chain
Lift	90W Taiwan brake motor drive uses ball screw to make Magazine stepping up and down
Transmission motor	Taiwan 15W fixed speed motor
Structure	Pneumatic clamp structure
Magazine Specifications	L460*W400*565mm
Maximum size of PCB	L450*W330

Direction	Right to left / left to right
Lift platform pitch selection	10,20,30,40
Transmission height	H=920±30
Controller	Mitsubishi PLC programmable controller
Function	Automatically send board
Operation control panel	Display control true color touch screen
Pneumatic Components	Push plate cylinder position, adjusted by screw
power supply	220V 50HZ
No. of Full load storage board	50 PCS
Gas source	0.4-0.6MPa
Electric control box	1 set

#### Company profile

Since the establishment of the company, take its advanced design experience, management concept and excellent manufacturing technology, combined with many years of research and development experience, and according to the user feedback information, continuous investment in scientific and technological innovation. Make the products of Ming kaisheng more rigorous and novel from appearance to assembly quality, economic and environmental protection, provide a new choice for domestic and foreign industry users.

Integrated design, production, sales, flexible, professional, fast 24-hour response service, under the support of the vast number of old and new users, has developed into a highly competitive SMT equipment industry manufacturing enterprises.





0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



e smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET,BAOAN,SHENZHEN,CHINA