



## Magnetic linear motor pick and place machine

### Our Product Introduction

for more products please visit us on [smtmountingmachine.com](http://smtmountingmachine.com)

#### Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC
- Model Number: HT-F9
- Minimum Order Quantity: 1
- Packaging Details: wooden case
- Delivery Time: 30 days after pay
- Payment Terms: L/C, T/T
- Supply Ability: 50 set/month



#### Product Specification

- Name: Pick And Place Machine/chip Mounter
- Module: HT-F9
- Payment: TT/LC
- Speed: 200000 CPH
- Max PCB Size: 1200\*330 Mm
- Suitable For: LED/CAPACITOR/RESISTOR/IC

## Product Description

### Magnetic linear motor pick and place machine

#### The structure of ETON pick and place machine

Pick and place machine make up of Software + Electric +Machine part

The Software of ETON pick and place machine is independent research and development by ourselves. So we can provide the Software update are free for life .

The Electric also is independent research and development by ourselves

The Machine part we have our special design for more good for mounting and adopt the most Excellent manufactures from all over the world.

#### The imported part of ETON pick and place machine

ETON is the big manufacture of pick and place machine, have exported more than 20 countries, the good quality of ETON pick and place machine is line in:

1. Electrical control and software is independent research and development by ETON
2. The X,Y Axis drive way is High-end magnetic linear motor and servo motor.Imported from Rex roth
3. Chain is imported from Igus
4. Camera is imported from IDS

#### The most faster ETON pick and place machine

ETON pick and place machine is famous as the super high speed. For this module HT-F9, the optimal speed can be reach 200000 CPH, very high speed and good quality

#### The details of fastest pick and place machine

There are some parameter of HT-F9 pick and place machine

HT-F9 pick and place machine	
Dimension	
Length	2700 mm
Width	2120 mm
Height	1550 mm
PCB	
Max PCB length Width	1200*330 mm
Min PCB length Width	80*330 mm
PCB Thickness	0.5-5 mm
PCB Clamping	Adjustable pressure pneumatic
Mounting Mode	Group to take and group to mount
Capacity	
Mounting speed	200000 CPH
No. Of Feeder Stations	68 pcs
No. Of Nozzles	68 pcs



#### The good service for you

ETON company provide free install and training and one year warranty.

During warranty any parts need to be repaired and replace will be free.

If you are interested, must contact us:

Joy/Sales Executive

Email:et83@eton-mounter.com

[joy@eton-mounter.com](mailto:joy@eton-mounter.com)

Tel: +8613590151025 (Same number as Whatsup and Wechat)





0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG  
STREET,BAOAN,SHENZHEN,CHINA