multifanctional high speed pick and place mounter, smt pick and place machine, automatic mounter, magnetic linear motor

Waterproof material packing and wooden

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:

ETON

- · Packaging Details:
- Delivery Time: 30 work days
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

- Pcb Size:
- Pcb Clamp;ing:
- System:
- Software:
- Display:
- Input Device:
- No. Of Camera:
- POWER:
- Power Consmption:
- Mounting Mode:
- Components Space:
- Feeders Stations:
- Nozzles:
- Mounting Speed:
- Mounting Height:

Windows7 **R&d** Independently

100*100mm~500*350mm

Adjustable Pressure Pneumatic

80 units per months

- **Touch Screen Monitor**
- Keyboard, mouse

40mm

china

eton

ht-e5s

case

ccc,ce,sira

\$43000/unit

- 2
 - 380AC 50HZ
- 4kw
- Group Take Cent Stick, Cent Take Cent Stick
- 0.2mm
- 30PCS
- 8PCS
- 40000CPH



More Images





1.product details

HT-E5s machine is single module multifunctional mounter with high capacity of 40000CPH. It can mount capacitors,resistors,LED3014/3020/3528/5050,IC and shaped components. It applies to power driver,electric board,lens,linear bulb,household appliance and etc.



2.product Technical parameters of high speed pick and place machine

Model number	HT-E5S
dimension	2550*1650*1550/1660*1650*1550
PCB size	100*100~1200*350/600*350
PCB thickness	0.5~3mm
components	LED, capacitors, resistors, shaped components, etc.
Mounting speed	40000CPH
Component Max height	40mm
Mounting mode	Group picking and separate placing separate picking and separate placing.
Mounting precision	\pm 0.02cm
Feeder stations	30pcs
nozzles	8pcs
Conveyor transmission	Max length:1200mm
Transmission speed	>500mm/set
Transmission direction	Both direction



3.product features of smt pick and place machine

X,Y,Z drive way is high-end magnetic linear motor+servo motor. PCB clamping is adjustable pressure pneumatic. Vision for the flight identification ,mark correction. Electronic feeder feeding system. Non-stop material re-loading function. Auto-optimization after coordinates generated.



4. The warranty

Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

5.Packing & delivery of smt mounter machine

We usually use waterproof packing machines and pack them in wooden cases. If the customer has special requirements for packaging, we will package the products according to the contract.

<u>Shenzhen</u> port is the closest to our company.If there are less than 3 sets of products, we usually ship the goods within 30 days after payment. If there are more than 3 sets of products, we can negotiate the delivery time.

6.Company profile





Business terms:

Accepted delivery terms	EXW, FOB, CIF, CFR
Accepted payment currency	USD,CNY
Accepted payment type	L/C, T/T
Nearest port	Shenzhen

7.Our Our certificates and certifications

The company has independently developed a number of intellectual property technologies, including 9 invention patents, 112 practical patents and 12 software Copyrights.Successively obtained "shenzhen high-tech enterprise", "national high-tech enterprise", "shenzhen TOP brand", "2015 LED technology innovation award", "industry special contribution award", "the 4th China LED first innovation award", "industry special contribution award", "double soft enterprise" and so on.



8. trade show

Since the establishment of the company, we have participated in many trade exhibitions at home and abroad, including Guangzhou Guangya exhibition, Turkey lighting exhibition, India lighting exhibition, Pakistan exhibition, India nepcon exhibition, Thailand exhibition, etc. We add a large number of foreign clients every year.



1) Do you have oversea after sale service?

We have set up an overseas office in India.We can offer technical support abroad. If you have any technical problem, our engineers will support you promptly.

2)How is the training?

You can send your engineers to our workshop to study, or we can send our engineers to your workshop for guidance. We guarantee that the training will not be completed until your operators are fully trained.

3) It's hard to use the machine?

No, not at all. Touch screen display, English operation interface. Generally training about five days can be skilled in the operation of the machine.

4) Does your machines have quality certificates?

We are high-tech enterprise with CE,SIRA,CCC .

5)How about the warranty?

We guarantee it for one year free of charge. Software updates are free for life.



Higher precision,

faster speed,

independent research and development,

in China supplier ETON!

contact Name:Brynn Email :Brynn@eton-mounter.com WeChat:13802252825 Telephone:138 0225 2825

Industry related knowledge

Adaptability of SMT placement machine

Operation Process of Patch Machine

Set the working state of the placement machine

Data preparation procedures;

Touch PROGRAM, corresponding F4 button so that the screen will be displayed PROGRAM the menu

Pressing the CHANGE, screen corresponding to the F1 key will display the stored program in the machine, and select the production program through the digital key;

Select the production mode, after selecting the production program, press RETURN, corresponding F6 key, until the screen main menu, this time press AUTO corresponding F1 key, screen display submenu SO.. NO RETURN START. PB press MODE corresponding F5 key until "MODE;" the corresponding PROD. at the bottom left of the screen Check that the patch suction is not good

When cleaning the suction nozzle, check whether the CENTER, BRIGHT of the suction nozzle is OK.. Press SET corresponding F5 key in the main menu, appear SET sub-course STATUS, MANUAL, PROGRAM, PROPER, SERVO, PSTION, RETURV press the corresponding F3 key, appear CAMERA, SCALE, CENTER, BRIGHT, RETURN.. Press CENTER corresponding F4 key, machine prompt PUSH, START press the START key, the machine can test the center of the NOZZLE, the same testable BRIGHT...

	Shenzhen Eton Automation Equipment Co., Ltd.
0	0086 13670197725 (Whatsapp/Wechat)