led pick and place high speed pick and place mounter,smt pick and place machine,automatic mounter,magnetic linear motor

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:

ETON

- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

- Pcb Size:
- Pcb Clamp;ing:
- System:
- Software:
- Display:
- Input Device:
- No. Of Camera:
- POWER:
- Power Consmption:
- Mounting Mode:
- Components Space:
- Feeders Stations:
- Nozzles:
- Mounting Speed:
- Mounting Height:

Adjustable Pressure Pneumatic Windows7

80*330mm~1200*330mm

R&d Independently

china

eton

ht-f7

case

ccc,ce,sira

\$75000.00/unit

30 work days

80 units per months

Waterproof material packing and wooden

- Touch Screen Monitor
- Keyboard,mouse
 - 5
 - 380AC 50HZ
 - 5kw
 - Group Of Group Of Stick
- : 0.2mm
 - 68PCS
 - 34PCS
 - 150000CPH~180000CPH
- nt: 13mm



More Images





for more products please visit us on smtmountingmachine.com

1.product details

Components of this high speed SMT mounter machine ht-f7 can mount include LED3014/3020/3528/5050 and resistor, capacitors, bridge rectifiers, etc.



2.product Technical parameters of high speed pick and place machine

Model number	HT-F7
Dimension	2700*2120*1550mm
PCB size	80*330 1200*330mm
PCB thickness	0.5 5mm
PCB clamping	adjustable pressure pneumatic
mounting mode	group to take and group to mount
system	windows 7
display	touch screen monitor
input device	keyboard,mouse
NO.of camera	5 sets of imported camera
mounting precision	±0.02mm
mounting height	<13mm
mounting speed	200000CPH
components space	0.2mm
NO.of feedings station	68pcs
NO.of nozzles	34pcs
power	380AC 50HZ
power consumption	6KW
operating	23 ±3
environment	
conveyor transmission	MAX length:1200mm
transmission speed	>500mm/sec
transmission direction	single(left→right,right→left)
transmission mode	online drive
position mode	optical
air pressure	>5.0kg/c
electrical control	independent research and development by ETON
motion control card	independent research and development
module 1set	by ETON
X.Y axis drive way	high-end magnetic linear motor+servo motor
feeding way	electric feeder with double motor



3.product features of smt pick and place machine

X,Y,Z drive way is high-end magnetic linear motor+servo motor. PCB clamping is adjustable pressure pneumatic. Vision for the flight identification ,mark correction. Electronic feeder feeding system. Non-stop material re-loading function. Auto-optimization after coordinates generated.



4. The warranty

Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

5.product parts of smt mounter

- ♦ Mark camera from HK vision
- ♦ Grating scale from Renishaw,UK
- ♦ Guideway from IKO, Japan
- ♦ Pneumatic components from SMC, Japan
- ♦ Drag chain from IGUS, Germany
- ♦ Transport guide from Hiwin, Taiwan
- Linear motor from Israel technology
- ♦ The host computer from EVOC
- ♦ Sensor from Beckhoff ,Germany
- ♦ The software is self-developed




6.Packing & delivery of smt mounter machine

We usually use waterproof packing machines and pack them in wooden cases. If the customer has special requirements for packaging, we will package the products according to the contract.

<u>Shenzhen</u> port is the closest to our company. If there are less than 3 sets of products, we usually ship the goods within 30 days after payment. If there are more than 3 sets of products, we can negotiate the delivery time.

7.Company profile







Business terms:

Accepted delivery terms	EXW, FOB, CIF, CFR
Accepted payment currency	USD,CNY
Accepted payment type	L/C, T/T
Nearest port	Shenzhen

8.Our Our certificates and certifications

The company has independently developed a number of intellectual property technologies, including 9 invention patents, 112 practical patents and 12 software Copyrights.Successively obtained "shenzhen high-tech enterprise", "national high-tech enterprise", "shenzhen TOP brand", "2015 LED technology innovation award", "industry special contribution award", "the 4th China LED first innovation award", "industry special contribution award", "double soft enterprise" and so on.



9. trade show

Since the establishment of the company, we have participated in many trade exhibitions at home and abroad, including Guangzhou Guangya exhibition, Turkey lighting exhibition, India lighting exhibition, Pakistan exhibition, India nepcon exhibition, Thailand exhibition, etc. We add a large number of foreign clients every year.



10. FAQ

1) Do you have oversea after sale service?

We have set up an overseas office in India.We can offer technical support abroad. If you have any technical problem, our engineers will support you promptly. **2)How is the training?**

You can send your engineers to our workshop to study, or we can send our engineers to your workshop for guidance. We guarantee that the training will not be completed until your operators are fully trained.

3) It's hard to use the machine?

No, not at all. Touch screen display, English operation interface. Generally training about five days can be skilled in the operation of the machine.

4) Does your machines have quality certificates?

We are high-tech enterprise with CE,SIRA,CCC .

5)How about the warranty?

We guarantee it for one year free of charge. Software updates are free for life.



Higher precision,

faster speed,

independent research and development,

in China supplier ETON!

contact Name:Brynn Email :Brynn@eton-mounter.com WeChat:13802252825 Telephone:138 0225 2825

Industry related knowledge

Choose the MMI Production menu; Input production target quantity on > column of < production plan; press the "START" key of the operation panel. SMT inspection items in the production of placement machines Check the surplus of components of the feeder; Check the matching of components (2 hours for cycle); Plastic belt removal and cleaning of feeder; Pickup poor feeder monitoring. Corresponding and changing operation in SMT placement machine production After production, select "finish" submenu to complete production; If other PCB, need to be produced, prepare for the change. SMT power off and equipment cleaning completed Click RESET"; Click the EXIT" icon; Turn off the main switch (rotating counterclockwise); Turn off the voltage stabilizer switch; Organize and clean the surrounding environment of the workplace.

