




## 15w Motor 35000cph Smt Production Line Machine For Electrical Products

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CCC/CE/SIRA
- Model Number: RT-1
- Minimum Order Quantity: 1 set
- Packaging Details: Wooden package
- Supply Ability: 50 sets



#### Product Specification

- SMT Line: Automatic Line
- Capacity: 35000cph
- Apply To: LED Lighting And Electrical Board
- Warranty: 1 Year
- Package: Wooden
- Training: Free
- Highlight: 15w Motor Smt Production Line Machine,  
35000cph Smt Production Line Machine,  
Electrical Products Smt Placement Machine

## Product Description

### Automatic SMT Line

#### Automatic SMT line Five features:

Automatic SMT line include Loader, conveyor, solder paste stencil printer, pick and place machine, reflow oven, un-loader, etc.

The fully automatic line can be run by only 1 operator, which saves labor costs.

The full-automatic production line adopts a higher-end full-automatic solder paste printing machine, and the printed products have higher precision and better product quality.

Fully automatic production line can maximize production capacity and reduce the problem of production decline caused by labor fatigue

Fully automatic production line makes the whole factory more high-end, clean, tidy and large-scale, and customers trust more

#### Automatic SMT Line parameters

Loader machine main parameters	
Transmission motor	Taiwan 15w fixed speed motor
Structure	Pneumatic clamp structure
Magazine Specifications	L460*W400*H565 MM
Max size of PCB	L450*W330 MM
No. of Full load storage board	50 PCS

Automatic stencil printer machine main parameters	
Screen Frames Min Size	370*370 mm
Screen Frames Max Size	737*737 mm
Screen Frames Thickness	25-40 mm
PCB Min Size	50*50 mm
PCB Max Size	400*340 mm

Pick and place machine main parameters	
Dimension	1200*1930*1500 mm
Max PCB length Width	400*350 mm
PCB Clamping	Electric clamping
Mounting height	No more than 22 mm
Mounting speed	30000-35000 CPH

Reflow Oven machine main parameters	
Number of heating zones	Up 8/bottom 8
Number of cooling zones	Up 1/bottom 1
Length of heating zones	3000 mm
PCB Min Size	50*50 mm
Mesh belt width	400 mm
Conveyor speed	0-1500mm/min
Components height	50 mm


Un-Loader machine main parameters	
Transmission motor	Taiwan 15w fixed speed motor
Structure	Pneumatic clamp structure
Magazine Specifications	L460*W400*H565 MM
Max size of PCB	L450*W330 MM
No. of Full load storage board	50 PCS

Conveyor machine main parameters	
Steel frame structure, rail length	L=500
Width adjustment range	50-390 mm
Transmission height	900-940 mm
Transmission	7 MM flat belt conveyor
Control	Industrial control panel

#### Automatic SMT Line application

Automatic SMT Line suitable for apply to small electrical products. Such as led bulb, DOB, power driver, etc.

## Machine for all products



LED Display



Downlight



Flexible Strip



DOB Bulb



LED Bulb



Street Light



LED Lens



Driver



Panel



Tube

Solar lamp

Contact Joy Yao :+8613590151025

### Automatic SMT Line service

We provide clients free machine install and training service, will sent engineer to your factory for machine install and training.



**Shenzhen Eton Automation Equipment Co., Ltd.**



0086 13670197725 (Whatsapp/Wechat)



[linda@eton-mounter.com](mailto:linda@eton-mounter.com)



[smtmountingmachine.com](http://smtmountingmachine.com)

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA