



Dual Arm Four Module SMT Pick Place Machine 250000 CPH 6KW Flexible Strip

Our Product Introduction

for more products please visit us on smtmountingmachine.com


Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CE,CCC,SIRA
- Model Number: HT-T9
- Minimum Order Quantity: 1 Set
- Price: USD 51,000.00-76,500.00/ 1Unit/Units
- Packaging Details: Filming packing、 vacuum packing、 wooden packing
- Delivery Time: 30 work days
- Payment Terms: L/C, T/T
- Supply Ability: 50 Sets per month



Product Specification

- Dimension: 3100*2300*1550mm
- PCB Size: 250*any Length
- PCB Thickness: 0.5~1.5mm
- Mounting Mode: Group To Take And Group To Mount
- Mounting Precision: $\pm 0.02\text{mm}$ (Repeat Precision)
- Mounting Height: $\leq 5\text{mm}$
- Mounting Speed: 200000~250000 CPH
- Components Space: 0.5mm
- No.of Feeders Station: 68 PCS
- No.of Head: 68 PCS
- Power: AC380V 50Hz
- Power Consumption: 6KW
- Highlight: **250000 CPH SMT Pick Place Machine ,
6KW SMT Pick Place Machine ,
6KW pick & place machine**



More Images



Product Description

Dual Arm Four Module SMT Pick Place Machine 250000 CPH 6KW Flexible Strip

High Quality Dual Arm Four Module 5M,50M Or Any Length Of Flexible Strip Capacity Reach 250000CPH Pick And Place Machine


Production Introduction of Pick and Place Machine HT-T9

1. Dual-arm magnetic linear high-speed mounter for flexible strip(no wire), Producing 4 types materials at the same time capacity reach 250000 CPH.
2. Available for 5M, 50M or any length of flexible strip and Roll to Roll.
3. Dual arm four modules, 17 nozzles for each mounting part, part A or part B can be mounted separately or synchronously.
4. Calibration automatically, high precision, available for RGB.
5. Exclusive patent technology: Group to take and group to mount.

HT-T9 of Technical Parameter

Dimension	3100*2300*1550mm
PCB Size	250*any length
PCB Thickness	0.5~1.5mm
Mounting mode	Group to take and group to mount
Mounting precision	±0.02mm (Repeat precision)
Mounting height	Standard:≤5mm
Mounting speed	200000~250000 CPH
Components	LED 3014/3020/3528/5050 and resistors, capacitors, bridge rectifiers etc.
Components space	0.5mm
No.of feeders station	68 PCS
No.of head	68 PCS
Power	AC 380V 50Hz
Power consumption	6 KW
X,Y,Z Axis drive way	High-end magnetic linear motor and servo motor


HT-T9 Picture



Application of HT-T9

Apply to 5M, 50M or any length of flexible strip and Roll to Roll.

Apply to 5M,10M,25M,50M or any length flexible strip light



Company Introduction



Gate of Jiangxi Industrial Park



Panoramic view of complex Building



Hall of complex Building



Production shop building

ETON Industrial Park in Jiangxi

- 1: 50000 square meters industrial park ensure the brand effect and present company Strength.
- 2: Own manufacturing center, equipped with an advanced processing and manufacturing center, strict quality control, and standardize production, streamline production processes make our machines has high quality standard and strong supply capacity.
- 3: More than 10 years LED lighting field experiences sharing, provide the most suitable SMT program to every client.

Certification

Certificate:CE,SIRA,CCC,etc...



We are high-tech enterprise with CE,SIRA,CCC ,ISO awarded as "Well-know brand" and many technology patents, we got 9 invention patents, 112 practical patents,12 software patents and have rich experience(more than 8 years) in LED light production line program.

Our after-sales service of Pick and Place Machine



We provide send Free parts send to you in machine warranty period,and our engineers will visit to your factory help you to solve your machine's problem.

Engineer site service installation and training.

After learning to maintain and use, you will be satisfied with our service.

Maintenance Period: 1 year. (whole machine, any parts need to be repaired or replaced will be free)

Upgrade the software will be free.

Visit customer regularly and gather information.

Provide latest information about technology and equipment.

Package and Delivery of Pick and Place Machine



Package:

- Standard export vacuum water proof package;
- Strong wooden package for ensure safely delivery of heavy and large equipment;

Delivery:

- By air: for small package, worldwide express like DHL,UPS,Fedex,EMS...
- By sea, for large package and quantity;
- By railway or other ways as customer requested.

All machines are packed with vacuum and wooden packing like the one in the pictures.

Step1:Film packaging.

Step2:Vacuum packaging.

Step3:Wooden box packaging

You can trust us, because we have professional and standard packaging to protect the machine.

FAQ of Pick and Place Machine

Q: Is there any quality guarantee?

A: We stick to quality first, client-oriented, Continuous improvement !

Q: What are your advantages?

A: Our company stick to five level management policy: sincere business, focus on R&D, manufacturing intentions, considerate service, customer trust.

Q: If my order is very urgent, how long you can proceed?

A: We have helped many clients with their urgent demand. If your order is urgent, please contact with our specialist and we will help you to apply special support.

Q: What's your delivery time?

A: Usually 30 days after deposit, if we have inventory, the time can be brought forward.

Q: What's the terms of payment? What about the trade term?

A: T/T is OK. You can choose FOB Shenzhen.



HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG
STREET,BAOAN,SHENZHEN,CHINA