




250000 CPH high speed LED flexible strip and PCB assembly mounting machine

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: ETON
- Certification: CCC CE SIRA
- Model Number: HT-T9
- Minimum Order Quantity: 1 SET
- Packaging Details: Vacuum wooden box
- Supply Ability: 50 PCS/month



Product Specification

- Name: LED Mounting Machine
- Length: 3100mm
- Width: 2300mm
- Height: 1550mm
- Total Weight: 1700kg
- PCB Thickness: 0.5-1.5mm
- Mounting Mode: Group To Take And Group To Place
- Display: Touch Screen Monitor



Product Description

250000 CPH high speed LED flexible strip and PCB assembly mounting machine

Product description

1. The model HT-T9 is designed with 68 suction nozzles and 68 feeder material stations. It is controlled by two arms and 34 suction nozzles are controlled by one arm respectively. Among them, 34 suction nozzles are divided into two groups, 17 in each group, and each group is jointly controlled by a servo motor and a corner motor.
2. Four different materials of a product can be pasted at the same time, which can accelerate the production of the product.
3. Generally speaking, this model is suitable for mounting 20m, 50m or even longer rolls of soft light strips, because if this model is used to mount light tubes, it may be a waste.

Feature

This model is equipped with 5 cameras, which cooperate with each other before and during production.
The energy consumption is 6kW and the operating environment is 20-26 .
calibration automatic,available for RGB.
Mounting height is less than 5mm, optical positioning.

O.S

1. Our system adopts Windows 7 system, which is simple and easy to operate.
2. The software is independently developed by us, with Chinese and English versions, and has obtained national technical certification.

1. It can produce any length of PCB soft board and roll by roll of soft lamp tape
2. The PCB board is fixed by vacuum adsorption, cylinder clamp and adjustable track width
3. The transmission speed is greater than 500mm per second, one-way transmission



Product parameter

Dimension	Length	3100mm
	Width	2300mm
	Height	1550mm
	Total weight	1700kg
PCB	PCB size	250mm*any length
	PCB thickness	0.5-1.5mm
	PCB clamping	Vacuum adsorption, cylinder splint, adjustable track width
	Mounting mode	Group picking and group placing
Feeding system	No.of feeders	68 PCS
	No.of feeders station	68 PCS
	Feeding way	Electric feeder with double motor

Package

We usually use vacuum wooden cases to pack the products. Vacuum can be very shock proof and ensure the integrity of the products. If you have special requirements for packaging, we can also realize it for you.



FAQ

Q1: Who are you?

A: We are Shenzhen ETON automation equipment Co., Ltd., the global leader of photoelectric high-speed mounter and the manufacturing supplier of SMT Mounter and peripheral equipment.

Q2: Why should I choose to buy from you instead of from other suppliers?

A: Choosing us has the advantages of products, R & D and technical consultants. We will try our best to help you solve your problems.

Q3: How do you guarantee product quality?

A: We have special departments for the purchase of parts and the control of product quality. Of course, your technical consultant will follow up in the whole process of production to ensure product quality.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA