

Factory supply 80000 cph high precision led lighting production line smt placement machine

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information	
 Place of Origin: 	CHINA
 Brand Name: 	ETON
Certification:	CCC/CE/SIRA
 Model Number: 	RT-2
Minimum Order Quantity:	1 Set
 Packaging Details: 	wooden box with vacuum package
 Delivery Time: 	30 days after deposit
 Payment Terms: 	T/T
 Supply Ability: 	50 sets per month



Product Specification

• Dimension:	1200*1930*2500
Total Weight:	2500kg
PCB Length Width:	MAX:450*300mm MIN:80*80mm
PCB Thickness:	0.1-6mm(if<0.6mm, Need Jig)
 No.of Camera: 	4pcs
 Mounting Speed: 	80000CPH
 No.of Feeders Station: 	84pcs
No.of Head:	20pcs
 Power Consumption: 	6kw
• XYZ Axis Drive Way:	High-end Magnetic Linear Motor



More Images



Product Description

Factory supply 80000 cph high precision led lighting production line smt placement machine

Updated mounter machine for smt production line. Operation process of SMT placement machine:

- 1. To understand the common signs of the placement machine;
- 2. Turn on the power of the placement machine;
- 3. Check the environment around the placement machine;
- 4. Turn on the placement machine;
- 5. Set the working status of the placement machine;
- 6. Check the placement Whether the machine nozzle is bad;
- 7. SMD production process;
- 8. Shut down.

Features of new mounter : ETON

- Applies to the Linear motor, Servo motor, Stepper motor. Strong ,firm and stable design.
- Pneumatic clamps to ensure the pcb board position.

Our Product Introduction

Orignial **head structure**, special materail and structure, the height can adjustable. With replenishment system.

NEW Design RT-2



DRAG CHAIN Imported from Germany IGUS It has low noise, wear resistance, and high-speed movement.

GRATING SCALE Imported from UK RENISHAW

High accuracy of processing data, error compensation function, accurate positioning

THE ELECTROMAGNETIC VALVE

Imported from UK RENISHAW High accuracy of processing data, error compensation function, accurate positioning

Specification of new mounter: ETON

- 1.PCB thickness: 0.1-6mm(if<0.6mm, need jig)
- 2.Dimension: 1200*1930*1500mm
- 3.PCB length width: Max:450*300mm, Min:80*80mm
- 4.Placement head: 20 pcs
- 5.Feeders station: 84 pcs

ę

more products please visit us on smtmountingmachine.com



Wide use of new mounter: ETON

1.power driver 2.led bulb 3.lens 4.panel lights, street light, downlight 5.electric board.



Company file: ETON

Shenzhen ETON Automation Equipment Co.,Ltd.

Was founded in 2011, we offer customer-inspired solutions in a range of smt industry.

ETON is dedicated to making quality products that help our clients operate more efficiently and effectively.





3.what can you buy from us?	Reflow Oven, Stencil Printer/ Pick and Place Machine/ Wave Soldering Machine/ PCB Loader and Unloader
4. why should you buy from us not from other suppliers?	As a leading SMT factory solutions provider with 11 years' SMT industry experience, ETON provides customers with professional solutions and service. ETON offers local customers systematic one- stop SMT solutions.
ontact: cara@eton-mounter.com (+8619880662073)	
ntact: cara@eton-mounter.com (+8619880662073)	
ontact: cara@eton-mounter.com (+8619880662073)	
ontact: cara@eton-mounter.com (+8619880662073)	

O086 13670197725 (Whatsapp/Wechat) Iinda@eton-mounter.com smtmountingmachine.com HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA