

45000CPH Single module multifunctional pick and place machine MAX height 15mm

Basic Information

Place of Origin: CHINABrand Name: ETON

Certification: CCC,SIRA,CE
 Model Number: E8S-600
 Minimum Order Quantity: 1PCS

• Packaging Details: We use vacuum wooden box packaging

Delivery Time: 5-8days
Payment Terms: L/C, T/T
Supply Ability: 50pcs/month



Product Specification

Length: 1550mm
Width: 1650mm
Height: 1550mm
Tatal Weight: 1500kg
NO.Of Feeders Station: 28pcs
Mounting Speed: 45000CPH



More Images





Product Description

45000CPH Single module multifunctional pick and place machine MAX height 15mm E8s-600 introduction

Ht-e8s-600 single-mode maglev multi-functional high-speed Mounter single-mode group 12 suction nozzles and 28 Feida high-speed mounters. The optimal production capacity per hour is 45000cph. The mountable parts include belt mounted light beads, capacitors, resistors, IC, special-shaped components, up to 17mm and at least 0402, which can be perfectly mounted with various drives, power supplies, circuit buttons, lenses, linear bulbs, home appliance control boards and other products. The patch method is to take the light paste in groups and take the light paste separately. The software independently developed by windows7 system can touch screen display, which makes it easy to operate, faster to use and better mounting effect.

Model	HT-E8S-600
Length	1550 mm
Width	1650 mm
Height	1550 mm
Total Weight	1500 kg
PCB	1000 119
PCB Length Width	Max:600*500mm Min:100*100mm
PCB Thickness	0.5-5mm
PCB Clamping	Adjustable pressure pneumatic
Mounting Mode	Group picking and separate placingseparate picking and separate placing
O.S.	
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	·
No. of Camera	2 sets of imported camera
	Vision for the flight identification, MARK correction
Mounting Precision	±0.04mm
Mounting Height	<15mm (Automatic Changing)
Mounting Speed	45000 CPH
Components	LED , capacitors, resistors, IC,shaped components, etc.
Components Space	0.2mm
No. of Feeders Station	28 PCS
No. of nozzles	12 PCS
Power	380AC 50HZ
Power Consumption	4 KW
Operating Environment	23 ±3
Conveyor transmission	Max length :600 mm
Transmission Speed	1000mm/sec
Transmission Direction	
Transmission Mode	Auto online drive
Air supply	0.4-0.6mpa (4-6kgf/cm2)150N/min
Electrical control	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor + Servo motor
Feeding way	Electric feeder with double motor



APPLICATION

E8s is suitable for mounting a variety of products, such as panel lamp, display screen, driving lamp tube, lamp belt, etc. Company profile

ETON automation equipment Co., Ltd. is headquartered in Shenzhen and the factory is in Jiangxi Province. We have a factory covering an area of 5000 mu. We are a very powerful SMT machine manufacturing supplier with comprehensive strength. Our products are exported to more than 20 countries such as South Korea, India, Vietnam, Egypt, Turkey, Russia, Brazil and Iran.



SMT LINE



enzhen Eton Automation Equipment CO. , LTD.

ETON - HT-E8S-600 Semi-automatic Production Line



FAQ

- Q: How is the training?
- A: After purchasing our products, you can send your engineers to study in our factory, or we can send our engineers to yourfactory to train your staff for you .
- Q: Do you have a product certification certificate?
- A: Our products have CCC, CE, SRIA certification.
- Q: How about the after-sale service? How about the warranty?
- A: We have a team of professional engineers to solve your problems. Any parts that require repair and replacement are free ofcharge during the warranty period. We can also provide you with training and on-site installation, and support remote control of the machine, the machine uses Chinese and English interface, very easy to operate.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

