

25k Infinite length flexible strip pick and place machine Special machine for felxible strip

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:




CHINA

ht-t9



Product Specification

• Length:	3100mm
• Width:	2300mm
 Height: 	1550mm
 Total Weight: 	1700kg



More Images



25k Infinite length flexible strip pick and place machine Special machine for felxible strip

HT-T9 introduction

Ht-T9 double patch head magnetic levitation leadless soft lamp with high-speed patch machine, double patch head private four modules, 17 suction nozzles in each group, single disc can be pasted, and the same disc material is always pasted on the same lamp strip. The four modules have 68 suction nozzles and 68 Feida. At the same time, four different materials are produced, which does not affect the high production capacity. It is suitable for one-time mounting of 5,50m or infinite soft lamp strips. The optimal production capacity per hour can reach 250000cph. The size of PCB board is 250 width * any length. PCB is fixed by vacuum adsorption, cylinder splint and adjustable track width. There are five sets of cameras. Two suction nozzle debugging cameras adjust the suction nozzle spacing by taking the center of the suction nozzle. Two Feida debugging cameras adjust the Feida distance by taking the center scale line of the Feida seat. A Maik camera makes the PCB mounting program by scanning the mark point as the benchmark.

Technical parameter

recimical parameter		
Model	HT-T9	
Dimension		
Length	3100mm	
Width	2300mm	
Height	1550mm	
Total Weight	1700kg	
РСВ	•	
PCB Length Width	250mm*any length	
PCB Thickness	0.5-1.5mm	
PCB Clamping	Vacuum adsorption, cylinder splint, adjustable track width	
Mounting Mode	Group picking and separately placing	
O.S.		
System	Windows7	
Software	R&D independently	
Display	Touch screen monitor	
Input Device	Keyboard, Mouse	
Vision System		
No. of Camera	5 PCS (Digital camera)	
	Vision alignment, MARK correction	
Repeat mounting Precision	±0.02mm (Repeat precision)	
Mounting Height	≦5mm	
Mounting Speed	200000~250000CPH	
Components	LED 3014/ 3020/ 3528/ 5050 and capacitors, resistors, bridge rectifiers, etc.	
Components Space	0.5mm	
No. of Feeders Station	68 PCS	
No. of head	68 PCS	
Power	380AC 50 HZ	
Power Consumption	6kw	
Operating Environment	23 ±3	
Conveyor transmission	Max Length :1000 mm	
Transmission speed	>500mm/sec	
Transmission Direction	Single(left→ right or right→ left)	
Transmission Mode	Online drive	
Positioning Way	Optical	
Gas consumption	0.4-0.6mpa (4-6kgf/cm2)150N/min	
Electrical control	Independent research and development by ETON	
Motion control card module 1 set	Independent research and development by ETON	
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor	
Feeding way	Electric feeder with double motor	




Company profile

ETON is not only in the leading position in the field of photoelectric high-speed mounter, but also has made a breakthrough in the field of SMT high-speed mounter. It has successfully developed a number of high-cost SMT high-speed universal mounter. Its products are widely used in lighting, display screen, electronics, driving power supply, household appliances, new energy and other industries.

APPLICATION



ETON - HT-T9 100m Semi-automatic No-wire flexible strip Production Line



EXIHIBITION

We attend many exhibitions every year.

Not only in China, India Delhi, Indian Mumbai, Pakistan Karachi, Turkey Istanbul, Egypt Cairo, Russia Moscow, Vietnam Hanoi etc. We occurred 85% percent in China LED lighting markets, but also send machines to India, Korea, UK, Russia, Egypt, Turkey, Vietnam, Japan, Australia, Poland, etc more than 20 countries.

Exihibition

We attend many exhibitions every year. Not only in China, India Delhi, Indian Mumbai, Pakistan Karachi, Turkey Istanbul, Egypt Cairo, Russia Moscow,







These are our exhibitions abroad

FAQ

Q:How are your products packaged?

A:All machines are packed with vacuum and wooden packing like the one in the pictures.

Q:I'd like to know how your machines are transported?

A:We ship to world wide from china mainland using air mail by EMS, UPS, DHL or TNT or as your request for parts. --- Sea shipping for machine.

Q:What are your advantages over other companies?

A:As a global leading brand of photoelectric high-speed mounter and a pioneer enterprise of SMT Mounter in China, ETON'S products are exported to more than 20 countries and regions such as South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil and Iran. It has independently developed the world's first technological invention patents and proprietary technologies, including 9 invention patents, 12 software copyrights and 112 practical patents. It has successively won the titles of "Shenzhen high tech enterprise", "Guangdong high tech enterprise", "national high tech enterprise" and "Shenzhen famous"

