

## High Quality Economic A Variety Of Products Mounted Pick And Place Machine 45000CPH

## **Basic Information**

- Place of Origin:
- Brand Name: ETON

China


CE,CCC,SIRA

HT-E8S-1200

50 Sets per month

2550\*1650\*1550mm

- Certification:
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- Packaging Details:
- Delivery Time: 30 work dayes
- Payment Terms: L/C, T/T
- Supply Ability:



## **Product Specification**

- Dimension:
- PCB Size:
- PCB Thickness:
- Mounting Mode:
- Mounting Precision:
- Mounting Height:
- Mounting Speed:
- No.of Feeders Station:
- No.of Head:
- Power:
- Power Consumption:
- X,Y,Z Axis Drive Way:
- Max: 1200\*500mm Min: 100\*100mm 0.5~5mm Group Picking And Separately Placing separately Picking And Separately Placing ±0.04mm <15mm (Automatic Changing) 45000 CPH 28 PCS

USD 43,000.00-48,000.00/ 1Unit/Units

Filming packing, vacuum packing, wooden

- 12 PCS
- 380AC 50Hz
- 4 KW
  - High-end Magnetic Linear Motor And Servo Motor



## More Images



Our Product Introduction

## High Quality Economic A Variety Of Products Mounted Pick And Place Machine 45000CPH

## Production Introduction of Pick and Place Machine HT-E8S

- 1. Single module magnetic linear motor multifunctional pick and place machine.
- 2. Mounting components: LED chip, capacitors, resistors, lens, IC, shaped components, etc.
- 3. Component: Min. Size 0402 Max. Height 15mm.
- 4. Application: Power driver, electric board, lens, DOB bulb, linear bulb, household appliance etc.

Exclusive patent technology

Electric feeder feeding system.

Vision alignment flight identification, Mark correction.

Non-stop material re-loading function

## Auto-optimization after coordinates generated, etc.

## HT-E8S of Technical Parameter

Dimension	2550*1650*1550mm
PCB Size	Max: 1200*500mm Min: 100*100mm
PCB Thickness	0.5~5mm
Mounting mode	Group picking and separately placing, separately picking and separately placing
Mounting precision	±0.04mm
Mounting height	<15mm (Automatic changing)
Mounting speed	45000 CPH
Components	LED chip,resistors,capacitors,IC,shaped components etc.
Components space	0.2mm
No.of feeders station	28 PCS
No.of head	12 PCS
Power	380AC 50Hz
Power consumption	4 KW
X,Y,Z Axis drive way	High-end magnetic linear motor and servo motor

#### **HT-E8S Picture**



#### Application of HT-E8S

Apply to tube,driver,bulb,strip,lamp,panel,ceiling light,down light,screen,street light,etc. Apply to mounting LED,capacitors,resistors,IC,shaped components etc.



Introduction of Exhibition

# Exhibition









Our company go to many places to participate in the exhibition.

Foreign exhibition: India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc. Domestic exhibition:Guangzhou international lighting Exhibition, Shanghai electronica Exhibition, Chongqing LED Light Exhibition, etc.

Package and delivery of Pick and Place Machine



Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

Our after-sales service of Pick and Place Machine



## FAQ

Q: If my order is very urgent, how long you can proceed?

A: We have helped many clients with their urgent demand. If your order is urgent, please contact with our specialist and we will help you to apply special support.

#### Q:What are your advantages?

A: Our company stick to five level management policy: sincere business, focus on R&D, manufacturing intentions, considerate service, customer trust.

Q: Is your software interface in English?

A: English interface and Chinese interface are both available.

Q: It's hard to use the machine?

A: No, not at all. For our previous clients, at most 5 days is enough to learn to operate the machines.

