

Lens SMT Glue Dispenser Machine Automatic Fast Speed 90000 CPH

Basic Information

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.
 Delivery Time: 30 days

50 sets per month

T/T

China

CE,CCC,SIRA

HT-D12-1200

Supply Ability:

• Payment Terms:

• Highlight:



Product Specification

• Wa	arranty:	1 Year
• Co	indition:	New
• Dir	mension:	Length: 1800 Mm Width: 1050 Mm Height: 1550 Mm
• We	eight:	800 KG
• Sp	eed:	90000 CPH
• Dis	spensing Accuracy:	0.1 Mm
 Ma 	ax PCB Size:	1200*500 Mm
• Dis	spensing Height:	<15 Mm

lens SMT glue dispenser machine, Fast Speed SMT glue dispenser machine



Our Product Introduction

Automatic fast speed of 90000 CPH for dispensing lens SMT glue dispenser machine

Description

The glue dispenser is also called the glue spreader, which specifically controls the fluid. The automatic machine that drips and coats the fluid on the surface of the product or the inside of the product can realize three-dimensional and four-dimensional path dispensing, precise positioning, precise control of glue, no drawing, no leakage, no glue. The glue dispenser is mainly used to accurately point, inject, apply and drop glue, paint and other liquids in the product process to the precise position of each product. It can be used to achieve dot, line, round or arc shape.

Machine main features

English interface option, easy to operate;

CCD positioning system, visual positioning compensation automatically, correct the deviation of PCB;

Large size track, suitable for different size of PCB;

Contactless high speed injection dispensing head, dispensing glue continuously with high efficiency;

Intelligent dispensing head ensure good performance, high efficiency and lower wasting;

Dispensing head constant temperature function, ensure the glue in liquid;

Control the dispensing value in milliseconds, ensure the conformity of glue volume;

Online visual programming, more convenient;

Automatic program standby, start up production rapidly, Intelligent manufacturing;

Apply to various kind(round, linear, lattice, etc.) of products;

High performance linear motor drive for X, Y axies, ensure high accuracy in high speed;

Universal signal connecting, connect equipment online easily;

large capacity SSD industrial control system, high speed access ensures system response speed.

Machine main parameter

Model	HT-D12-1200		
	Length: 1800 mm		
Dimension	Width: 1050 mm		
	Height: 1550 mm		
Total weight	800 KG		
Max PCB size	1200*500 mm		
Dispensing accuracy	0.1 mm		
Dispensing speed	90000 CPH		
Dispensing height	<15 mm		
Max running speed	1200 mm/sec		

Our advantage

Focusing on SMT machine more than 11 years

The products exported to more than 20 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil etc. ETON obtained 9 invention patents, 112 practical patents, 12 software copyrights of intellectual property technologies, to be a leading manufacturer of SMT trade.



Service

For the part of services, we ensure our clients to enjoy a suitable experience of buying and using our machine when in production, so that we provide some comfortable services as blowing:

