

## 220VAC 50HZ Glue Dispenser Machine 90000 CPH LED Light SMT Glue Dispenser

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 sets
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



## **Product Specification**

Brand:Name:

Dimension:Weight:

• MAX PCB Size:

• PCB Clamping:

• System:

Software:No. Of Camera:

ETON

China

ETON

CCC,CE

HT-D12-1200

5-8 work days

50 sets per month

USD 20000-27500 per set

Vacuum wooden box packaging

- Glue Dispenser Machine 1800\*1050\*1550mm 800kg 1200\*500mm Adjustable Pressure Pneumatic
  - Windows 7
  - R&D By ETON
  - 1 Set Industrial Camera
- Dispensing Accuracy: 0.1mm
- Highlight:
- 220VAC glue dispenser machine, glue dispenser machine 90000 CPH, LED Light SMT Glue Dispenser



Our Product Introduction

### SMT Machine 90000 CPH 220AC 50HZ Glue Dispenser Machine

#### **Technical parameter**

Model	HT-D12-1200	
Dimension		
Length	1800mm	
Width	1050mm	
Height	1550mm	
Total weight	800Kg	
РСВ	·	
Max PCB size	1200*500mm	
PCB Clamping	Adjustable pressure pneumatic	
Dispensing mode	Pneumatic injection value	
Vision system	·	
No.of camera	1 set industrial camera	
Dispensing accuracy	0.1mm	
Heating temperature	200°C	
Dispensing height	< 15mm	
Dispensing speed	90000 CPH	
Power	220AC 50Hz	
Power consumption	1.5KW	
Operating environment	23°C±2°C	
Drive way	magnetic linear motor drive	
Max running speed	1200mm/sec	
Transmission direction	Single(left right or right-left)	
Transmission way	Online drive	
Gas consumption	0.4-0.6mpa (4-6 kgf / cm2) 150N/min	
Electrical control	Independent research and development by ETON	
1 Set motion control card		

#### The features

Control the dispensing value in milliseconds, ensure the conformity of glue volume Online visual programming,more convenient Automatic program standby, start up production rapidly, intelligent manufacturing Apply to various kinds (round, linear, lattice etc.) of products High performance linear motor drive for X,Y Axis, ensure high accuracy in high speed Universal signal connecting, connect equipment online easily Large capacity SSD Industrial control system,high speed access ensures system response speed

#### SMT pick and place machine and other peripheral equipment

A complete SMT production line include PCB loader, pick and place machine, conveyor, reflow oven and other peripheral equipment. We not only provide multifunctional and professional pick and place machine, but also provide SMT peripheral equipment, in other words, we provide the complete semi automatic and full automatic SMT production line.

The service and transport

#### 1. The Service

#### **Before sales**

Our sales specialist will analyze and recommend the equipment and production line best for you and Provide exclusive and customized services

#### Under sales

Specialist sale tracks the equipment production and transport situation in time, ensure that the equipment arrives at customers in good condition, and provide professional technical guidance for equipment assembly, and part of areas provide door-to-door service for overseas engineers

#### After sales

One-year warranty period, sales specialist to answer questions online 24 hours; regularly visit customers to understand the working status of equipment.





ur sales specialist will analyze and recommend the equipment an oduction line best for you and Provide exclusive and customized arvices

FTON

## Under sales

Specialist sale tracks equipment production and transport situation in time, ensure the equipment arrives at customers in good condition, and provide professional technical guidance for equipment assembly, part of areas provide door-to-door service for overseas engineers





## After sales

One-year warranty period, sales specialist to answer questions online 24 hours; regularly visit customers to understand the working status of





Maintenance period: 1 year /isit customers regularly and gather information Provide latest informatioN ablut technology and equip



# -——Quality principle

2. The package and transport

In order to ensuring the machine in good condition when arrive the equipment reaches the customer factory, we use the vacuum packaging and wooden box packaging.

Step 1: pack the machine with foam cotton and stretch film to protect the outside of the machine Step 2: Vacuum packing. Put the desiccant in a vacuum bag to prevent moisture; use straps to secure the machine; Step 3: professional wooden box packaging.



HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA