

LED Light Automatic Glue Dispenser Machine High Speed CCD Positioning System

Basic Information

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:

Our Product Introduction

for more products please visit us on smtmountingmachine.com

- Minimum Order Quantity: 1PCS
- Packaging Details: We use vacuum wooden box packaging

5-8days

L/C, T/T

50pcs/month

CHINA

CCC,SIRA,CE

HT-D12-1200

- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Length:
- Width:
- Height:
- Total Weight:
- Dispensing Height:
- Dispensing Speed:
- Highlight:

1800mm
1050mm
1550mm
800kg
<15mm

4000

90000CPH

LED Light Automatic glue dispenser machine, CCD Positioning Automatic glue dispenser machine

, Automatic glue dispenser 90000CPH



More Images



CCD Positioning system High speed LED light Automatic glue dispenser machine

Machine Features

English interface option, easy to operate

CCD positioning system, visual positioning compensation automatically, correct the deviation of PCB. Large size track, suitable for different size of PCB.

Contactless high speed injection dispensing head, dispensing glue continously with high efficiency.

Intelligent dispensing head ensure good performance , high efficiency and lower glue wasting .

Full time monitoring of glue volume, autoprompting low glue volume .

Dispensing head constant temperature function, ensure the glue in liquid.

Control the dispensing value in milliseconds, ensure the conformity of glue volume.

Online visual programming, more convinent.

Automatic program standby, start up production rapidly, intelligent manufacturing .

Apply to various kinds (round, linear, lattice etc.) of products.

High performance linear motor drive for X,Y axies, ensure high accuracy in high speed.

Model	HT-D12-1200				
Dimension					
Length	1800mm				
Width	1050mm				
Height	1550mm				
Total Weight	800kg				
РСВ	•				
Max PCB size	1200*500mm				
PCB Clamping	Adjustable pressure pneumatic				
Dispensing mode	Pneumatic injection value				
0.S.	•				
System	Windows7				
Software	R&D independently				
Display	LED monitor				
Input Device	Keyboard, Mouse				
Vision System	•				
No. of Camera	1 set industrial camera				
Dispensing accuracy	0.1mm				
Heating temperature	200				
Dispensing height	<15mm				
Dispensing speed	90000CPH				
Power	220AC 50HZ				
Power Consumption	1.5kw				
Operating Environment	23 ±2				
Drive way	Magnetic linear motor drive				
Max running Speed	1200mm/sec				
Transmission Direction	Single(left \rightarrow right or right \rightarrow left)				
Transmission Way	Online drive				
Gas consumption	0.4-0.6mpa(4-6 kgf/cm ²)150N/min				
Electrical control	Independent research and development by ETON				
Notion control card module 1 set Independent research and development by ETON					

HT-D12-1200 Automatic glue dispenser machine



Company profile

ETON is not only in the leading position in the field of photoelectric high-speed mounter, but also has made a breakthrough in the field of SMT high-speed mounter. It has successfully developed a number of high-cost SMT high-speed universal mounter. Its products are widely used in lighting, display screen, electronics, driving power supply, household appliances, new energy and other industries.



What is a dispensing machine

Dispensing machine, also known as glue dispenser, glue dispenser, glue applicator, automatic dispensing machine, etc., specializes in the operation of fluid. The automatic technology equipment that drips and applies the fluid on the product surface or inside the product can complete the three-dimensional and four-dimensional automatic dispensing machine, with accurate positioning and precise glue control, no metal wire drawing, no glue leakage and no crystal glue dropping. The dispensing machine is mainly used to accurately point, inject, apply and drip the strong glue, paint and other liquids in the product processing process to each precise part of the product, and can be used to complete threading, scribing, circle or arc.

Cleaning method of dispensing machine

1. Traditional cleaning method. Use volatile solvents such as dichloromethane and DMF to clean the mixing head. This method of cleaning is relatively thorough and the cost is not high But its biggest disadvantage is to pollute the environment Because it is a chemical product, volatile

and toxic, and it is not recyclable, which is inconsistent with the advocated trend of green environmental protection, its use is limited, it is gradually not accepted by the market, and it is gradually eliminated.

2. High pressure water cleaning. Although this method is non-toxic, low cost and easy to operate, there is a common problem of incomplete cleaning in the industry. At the same time, high-pressure water cleaning will cause a waste of water resources and produce a large amount of industrial wastewater, which is not the best cleaning method.

3. Clean with recyclable environmental protection solvent. From the perspective of society, this method is the most advocated. It is environmentally friendly, recyclable and has good cleaning effect.

FAQ

Q:Does the price include the spare parts(feeder and nozzle)?

A:Different clients has different requirements on spare parts, it is not fair to the clients to add in equivalent price for spare parts. So we don't add the spare parts cost on price, and price is only for machine.

Q:What's the minimum quantity of an order for your company?

A:1 set machine are welcomed to order, mixed orders are also welcomed.

Q:This is the first time I use this kind of machine, is it easy to operate?

A:It is easy to operate, the language of the machine is English, and we will teach you the basic operation.

If you still have any questions, please contact us by e-mail, WeChat, phone, Skype or other contact information.

Q:Can you provide a whole line solution?

A:Yes, we can, we can supply SMT line and some LED production lines.

Q:Can we customize the machine?

A:Of course, all of our machines can be customize.

Shenzhen Eton Automation Equipment Co., Ltd.							
C	0086 13670197725 (Whatsapp/Wechat)	0	linda@eton-mounter.com	e	smtmountingmachine.com		
HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA							