

80000CPH 0201 SMD Mounting Machine SMT Pick And Place Machine

Basic Information

Minimum Order Quantity:

Place of Origin: CHINA
Brand Name: ETON
Certification: ccc,ce,risa
Model Number: YT-202S

• Price: FOB USD 76000/sets

Packaging Details: Our packing is made of wooden box with

vacuum package, and we promise to deliver

the goods within four weeks after payment.

• Delivery Time: 30 days after deposit

• Payment Terms: L/C, T/T

Supply Ability: 50 sets per mouth



Product Specification

Place Of Origin: ChinaName: YT-202SWarranty: 1 Year

• Dimension: 3150*2250*1650mm

Total Weight: 2000kgPower: 380AC 50HZ

Power Consumption: 8KWMounting Speed: 80000CPHMounting Height: <36mm

Visual Camera:
 2 Sets Of Imported Camera

Drive Way: High-end Magnetic Linear Motor +servo

Motor

 Highlight: 0201 SMD mounting machine, 80000CPH SMD mounting machine,

servo motor SMT pick and place machine



More Images



Product Description

80000CPH 0201 SMD mounting machine SMT pick and place machine for SMT

Optical Recognition Camera

Components with size less than 40• 40mm or height less than 20mm can be used to high-speed and high-precision identification

Mark recognition:High-precision Mark recognition system, adopt 3-color illum1nat1on recognition.apply to any shape Mark and LENS(Blu-ray scan), wider range of applications

Fixed flight vision camera: High-speed flight vision camera. quickly captures multiple head images at once, perform visual calibration of image position, alignment Correction, adjustable light source brightness

Double side docking cart slot 32PCS, tape reel packages: 64PCS (single side docking cart slot 16PCS, tape reel packages: 32PCS), freely switching between docking cart and IC tray feeder(IC tray feeder.Option)

Smart Double-head Tape feeder

Support YT series double head intelligent electric tape reel feeder, by optically correcting the feeding position of the component.it can achieve stable, accurate and high-speed feeding

Support multi-layer tray feeder(IC tray feeder) installment, freely switch1ng between docking cart and IC tray feeder.

Patented Technology

Electronic feeder feeding system Vision alignment flight identification, mark correction Non-stop material re-loading function Auto-optimization after coordinates generated ,etc.

ictures of pick and place machine



Technical parameter of SMD mouniting machine

PCB length width	Double module&Double rail:
	MAX:500x300mm(Non-omnidirectional 640x300mm)
	MIN:50x50mm
	Single module&Single rail:
	MAX:500x540mm (Non-omnidirectional 640x540mm)
	MIN:50x50mm
Components	0201 IC 50x50mm
	Mounting Height:20mm
Mounting speed	70000 CPH
	(Under the best conditions for our company)
Mounting precision	±0.03mm(Repeat precision)
No. Of feeders station	32PCS(Double material feeder, can load 64 trays of material)
Power	AC380 50Hz
Air supply	0.4-0.6Mpa (4-6Kgf/m²)
Vacuum detection	Independent vacuum detection of reclaiming material
Dimension	L 2795 X W 1497 X H 1687
Total weight	1700kg


Certificate of honor

ETON advanced technology and innovation drives the revolution of market rapidly ,and obtains a number of intellectual property technologies.and rated as "shenzhen high-tech enterprise" "china high-tech enterprise" "shenzhen top brand" "2015 LED technology innovation award" "the 4th China LED first innovation award".



Our Partners

ETON advanced technology and innovation drives the revolution of market rapidly, and obtains a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, which save much labors and space of production, got large market share in USA, KOREA, INDIA, GERMANY, EGYPT, TURKEY, VIETNAM, TUNISIA, THAILAND more than 20 countries.



Packaging & Shipping

Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements. Our packing is made of wooden box with vacuum package, and we promise to deliver the goods within four weeks after payment.



step.1 Film packaging





Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.



step.3 Wooden box packing

Our Services

Attention

- 1. Before using the Pick and Place machine, you must understand the basic parameters of the placement machine;
- 2. Before running the Pick and Place machine, the operator should do a comprehensive inspection of the machine.
- 3. According to the boot operation sequence to implement the Pick and Place machine, there must have a detailed machine operation
- 4. It is necessary to conduct regular troubleshooting and maintenance work on the Pick and Place machine in a timely manner.

After-sale Service

we will send our engineer to your factory to install machine and training freely.

We have service office in india, and have indian engineer in delhi and mumbai. Can support quickly.

Standard warranty is one year, during warranty, any parts need to be repaired and replaced will be free.

FAQ

1, What's the terms of payment? What about the trade term?

T/T is OK. You can choose FOB Shenzhen.

2, What is the delivery date?

We will deliver the goods after 30 days' deposit.

3, What mode of transport does the goods adopt?

Our mode of transportation is very flexible. Our mode of transportation including water, land and air transportation. You can choose the most suitable way according to your requirements.

4, What is the direction of transmission of machines?

The transmission direction of this machine is single direction. From left to right or from right to left.

5, How about your operating system?

The operating system is Windows 7. The software is developed independently. It supports Chinese and English operation interface. And It has simple structure and is easy to operate.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com