

LED light pick and place machine Special machine for felxible strip

Basic Information

Place of Origin: CHINABrand Name: ETON

• Certification: CCC,SIRA,CE

Model Number: HT-T9 Minimum Order Quantity: 1PCS

Packaging Details: We use vacuum wooden box packaging

Delivery Time: 5-8days
Payment Terms: L/C, T/T
Supply Ability: 50pcs/month



Product Specification

Length: 3100mm
 Width: 2300mm
 Height: 1550mm
 Total Wight: 1700kg

• PCB Length Width: 250mm*ang Length

Mounting Mode: Group Picking And Group Placing

No Of Feeders Station: 68PCSNo Of Head: 68PCS



More Images



Product Description

LED light pick and place machine Special machine for felxible strip

Technical parameter

roominous paramotos	
Dimension	
Length	3100mm
Width	2300mm
Height	1550mm
Total Weight	1700kg
PCB	·
PCB Length Width	250mm*any length
PCB Thickness	0.5-1.5mm
PCB Clamping	Vacuum adsorption, cylinder splint, adjustable track width
Mounting Mode	Group picking and separately placing
O.S.	·
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	5 PCS (Digital camera)
	Vision alignment, MARK correction
Mounting Speed	200000~250000CPH
Components	LED 3014/3020/3528/5050 and capacitors, resistors, bridge rectifiers, etc.
Components Space	0.5mm
No. of Feeders Station	68 PCS
No. of head	68 PCS
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor
Feeding way	Electric feeder with double motor

HT-T9 introduction

Ht-T9 double patch head magnetic levitation leadless soft lamp with high-speed patch machine, double patch head private four modules, 17 suction nozzles in each group, single disc can be pasted, and the same disc material is always pasted on the same lamp strip. The four modules have 68 suction nozzles and 68 Feeders. At the same time, four different materials are produced, which does not affect the high production capacity. It is suitable for one-time mounting of 5,50m or infinite soft lamp strips. The optimal production capacity per hour can reach 250000cph. The size of PCB board is 250 width * any length. PCB is fixed by vacuum adsorption, cylinder splint and adjustable track width. There are five sets of cameras. Two suction nozzle debugging cameras adjust the suction nozzle spacing by taking the center of the suction nozzle. Two Feida debugging cameras adjust the Feida distance by taking the center scale line of the Feida seat. A Maik camera makes the PCB mounting program by scanning the mark point as the benchmark.



Exhibition

We attend many exhibitions every year.

Not only in China, India Delhi, Indian Mumbai, Pakistan Karachi, Turkey Istanbul, Egypt Cairo, Russia Moscow, Vietnam Hanoi etc.


We occurred 85% percent in China LED lighting markets, but also send machines to India, Korea, UK, Russia, Egypt, Turkey, Vietnam, Japan, Australia, Poland, etc more than 20 countries.

Exihibition





SMT LINE



FAQ

Q:How are your products packaged?

A:All machines are packed with vacuum and wooden packing like the one in the pictures.

Q:I'd like to know how your machines are transported?

A:We ship to world wide from china mainland using air mail by EMS, UPS, DHL or TNT or as your request for parts. --- Sea shipping for machine.

Q:What are your advantages over other companies?

A:As a global leading brand of photoelectric high-speed mounter and a pioneer enterprise of SMT Mounter in China, ETON'S products are exported to more than 20 countries and regions such as South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil and Iran. It has independently developed the world's first technological invention patents and proprietary technologies, including 9 invention patents, 12 software copyrights and 112 practical patents. It has successively won the titles of "Shenzhen high tech enterprise", "Guangdong high tech enterprise", "national high tech enterprise" and "Shenzhen famous"



Shenzhen Eton Automation Equipment Co., Ltd.



O086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com