



High Precision LED Driver PCB Assembly Line Machine Automatic SMT Production Line

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC/CE/SIRA
- Model Number: YT101S
- Minimum Order Quantity: 1 Unit/Units
- Packaging Details: Vacuum packing in wooden case
- Delivery Time: 15-30days
- Payment Terms: L/C, T/T
- Supply Ability: 50 Unit/UNits per month




Product Specification

- Dimension: 2154*1376*1762mm
- PCB Size: Max: 500*350mm Min:50*50mm
- PCB Thickness: 0.5-4.5mm
- Applicable Components: LED Chip, capacitors, resistor, IC, shape Component
- Mounting Speed: 40000CPH
- Visual Camera: 2 Pcs
- Components Speed: 0.2mm
- No. of Feeders Station: 32 PCS
- No. of Head: 10 PCS
- Operating Environment: 4 Kw
- Highlight: 40000CPH PCB Assembly Line Machine, 4 kw SMT Production Line, LED Driver SMT Production Line



More Images



Product Description

High precision LED driver pcb assembly automatic smt production line

Features:

High-speed Multi Modular Head

Adopt High-speed multi modular head. apply to ultra small chip 0201-40*40mm large Chip. wider component range

Brand New Flight Vision Camera

Improve recognition performance, size up to 40mm*40mm, apply to BGA or CSP etc

Vacuum Sensing Device

Each placement head with independent detection function, which improves the stability of the equipment and the reliability of the product.

Ultra-high-speed Capability

Adopt High-end magnetic linear motor. servo system and multi function modular head. the capacity increased by 25% compared with traditional machine. optimum placement speed reach 40000 CPH


The software has AI intelligent learning and automatic optimization functions

| | |
|------------------------|---|
| Dimension | 2154*1376*1762mm |
| PCB size | max: 500*350mm min: 50*50mm |
| PCB Thickness | 0.5-4.5mm |
| Applicable Components | LED Chip, capacitors, resistor, IC, shape component |
| Mounting speed | 40000CPH |
| Visual camera | 2 pcs |
| Components Speed | 0.2mm |
| No. of feeders station | 32 PCS |
| No. of head | 10 PCS |
| Operating environment | 4 kw |





Semi-automatic Production Line Layout



Packing & Delivery

All machines are packed with vacuum and wooden packing like the one in the pictures.

Shipping: --- We ship to world wide from china mainland using air mail by EMS, UPS, DHL or TNT or as your request for parts.

---Sea shipping for machine.



Step1: Wrap with stretch film to prevent the equipment from



Step2: Vacuum paper packaging and moisture-proof bag, so that the machine can be kept dry during transportation to prevent moisture.



Step3: Use straps and triangular wood to fix the machine to prevent damage to the machine during transportation.



Step4: Each exported machine will be equipped with sturdy export wooden boxes, to ensure that the delivered product is good.



Shenzhen Eton Automation Equipment Co., Ltd.

0086 13670197725 (Whatsapp/Wechat)

linda@eton-mounter.com

smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA