



Customize Flexible Strip Pick And Place Machine Track Width Adjustable Intelligent Feeder

Our Product Introduction

for more products please visit us on smtmountingmachine.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC, CE, SIRA
- Model Number: T9-2S
- Minimum Order Quantity: 1 set
- Packaging Details: standard wooden box with vacuum
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 50 sets per month



Product Specification

- Product Name: Pick And Place Machine
- No. Of Heads: 136pcs
- No. Of Feeder Station: 136 Pcs
- No. Of Camera: 10 Pcs
- Optimal Speed: 500000cph
- FPCB Size: 250(\pm 10 mm* Any Length
- PCB Thickness: 0.1-0.5mm
- PCB Clamping: Vacuum Adsorption, Cylinder Clamping, Track Width Adjustable
- Highlight: **pick and place machine Flexible Strip, pick and place machine 500kcph, Double rail led strip manufacturing machine**

Product Description

In stock can be customize flexible strip pick and place machine

Machine Introduction:

500000CPH meets your requirements

Machine main features:

- 1.Flexibly adjust the distance of the feeder mounting base to achieve group picking and group pasting, and realize the function of one pasting and two reclaiming
- 2.The maximum adjustable range of the feeder is twice that of the feeder, and can produce four kinds of materials at the same time
- 3.Intelligent feeder, which supports the electric intelligent feeder of high-speed special machine series
- 4.Flight identification function, without pause, detects whether there are components and the adsorption state of components to prevent installation errors

Machine main parameter:

Model	T9-2S
Dimension(L*W*H)	3454*3035*1777mm
Weight	3100kg
PCB length width	250mm(± 10)*any length
PCB thickness	0.5~0.5mm
Mounting way	Group to picking and group to mount
Mounting mode	Double rail+four group of placement heads
Mounting height	≤ 5 mm
No.of camera	10PCS
	Vision alignment, Mark correction
Components	LED 3014/3020/3528/5050/and resistor,capacitor, bridge rectifiers etc.
Power consumption	9.6KW
Optimum Mounting speed	500000CPH
No. Of feeders station	Double side:136 PCS(single side:68pcs)
No. Of head	Double side:136 PCS(single side:68pcs)
X,Y Axis drive way	High-end magnetic linear motor+Servo motor
Feeding way	Intelligent electric feeder with double motor



T9-2S

ROLL TO ROLL SOLUTION



Feature

1. Apply to 3012/3020/2835/5050 resistor, capacitor, bridge rectifier, etc.
2. ETON tech Adjustable Placement Head.
3. Unique Design Component Leaking Detection And Individual Component Refill Function.
4. Ultra-high-speed Capacity- excellent optimum capacity reach 500000CPH.
5. Intelligent electric feeder, supporting high-speed machine series.

SMT Line



ETON SMT MACHINE YOU DESERVE IT!



About ETON HT-T9 PK T9-2S

	ETON T9-2S mounter	ETON HT-T9 mounter
Stability	3100kg	1700kg
No. Of heads	136pcs	68pcs
Optimal speed	500000CPH	250000CPH
No. Of camera	10pcs	5pcs

Conclusion: Compared with T9, T9-2S has double production efficiency, stronger stability, and the price is not very large

Why choose us?

Efficient team: We provide the most systematic solution for you. The best suggestions of full SMT line equipment according to your budget and site.

Competitive price: We are directly manufacture of the ETON pick and place machine, so we can give you the best competitive price with high quality materials .

High quality: We have strictly quality control during all production from raw materials to the finished machine.

High efficiency : All machines parts are made by ourselves, so it's convenient to control the time schedule and quality timely.



Comprehensive Building



Workshop area



Sheet metal workshop



Rack placement library



Parts warehousing



Assembly workshop

Industrial area

Workshop

Service

一, Pre-sale

Provide equipment and SMT production lines that meet customers' needs according to customer needs;

Provide relevant suggestions to customers;

二, On sale

Real-time follow-up of the production situation of the customer's machine and inform the customer of the production progress

三, After sale


1. Arrange engineers to come to the factory to install, debug and teach free of charge;

2. One-year maintenance period. During the maintenance period, any parts that need to be replaced or repaired are free of charge;

3. Every year there is an opportunity for free machine maintenance

4. Visit customers regularly to understand the usage of the machine and collect customer feedback.

ETON after-sales service



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA