

Roll to roll flexible strip smt picking and place machine mounting for soft strip

Basic Information

Place of Origin: CHINABrand Name: ETON

• Certification: CCC,SIRA,CE

Model Number: HT-T9Minimum Order Quantity: 1PCS

Packaging Details: WE USE VACUUM WOODEN BOC

PACKAGE

Delivery Time: 5-8 work days
Payment Terms: L/C, T/T
Supply Ability: 50PCS/Month



Product Specification

• Warranty: 1 Year

Name: SMD Chip Mounter,SMT Pick And Place

Machine, SMT Chip Mounter

• Application: SMD Production Line,SMT Production

Line,for SMT Machine

• Power Supply: 380V 50HZ

Condition: New,100% Original,Brand-new

• Product Name: Place Machine\ LED Mounter\LED Assembly

Machine, Automatic SMT Mounting Shooter, SMT Shooter Machine

Weight: 1700KGMounting Speed: 250000 CPH

• Dimension: 3100*2300*1550MM

Feeders: 68PCSPcb Thickness: 0.5-1.5MM



More Images



Product Description

Roll to roll flexible strip smt picking and place machine

Features

Producing with Producing 4 types materials at the same time with high capacity, available for 5M, 50M or any length of Flexible strip and Roll to roll.

Dual arm four modul, 17 nozzles for each mounting part, part A or part B can be mounted separately or synchronously. Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to pick and group to mount.

Patent

Patent number: ZL 2011 2 0237740.9/ ZL 2011 2 0334606.0/ ZL 2012 20178869.1/ ZL 2012 2 0415505.0/ZL 2012 20415044.7/ZL 2012 2 0415356.8/ ZL 2012 2 0415061.0



Parameter

Dimension:3100*2300*1550mm

Total Weight:1700 kg

PCB Length Width:250*any length

PCB Thickness:0.5-1.5mm

PCB Clamping: Vacuum adsorption, cylinder splint, adjustable track width

Mounting Mode:Group picking and separately placing

Mounting speed: 200000~250000 CPH

Repeat mounting Precision:±0.02mm (Repeat precision)

Mounting Height:≦5mm

Components:LED 3014/3020/3528/5050 and capacitors, resistors, bridge rectifiers, etc.

Components Space:0.5mm No. of Feeders Station:68pcs No. of head:68pcs

No. of head:68pcs Power:380AC 50 HZ Power Consumption:6kw



About flexible strip

A soft strip is a special process for soldering a light onto a copper wire or ribbon-shaped flexible circuit board, and then connecting it to a power source to emit light.



Features and advantages

- 1.hard, like a walkie-talkie can curl.
- 2.It can be sheared and ducted.
- 3.the light bulb and access is completely covered in flexible plastic, insulation, waterproof function is good, use insurance.
- 4. Weather resistant.
- 5.not easy to break, long service life.

6.easy to create graphics, text and other modeling; The present has been extensively used to decorate and illuminate buildings, bridges, paths, gardens, courtyards, strata, false ceilings, furniture, buses, lakes, underwater, posters, pink signs, signs, etc.

FAQ

Q:Can you support whole SMT line?

A:Yes, we can provide whole line solution if you want. We are very professional on SMT field.

Q:What is your machines quality?

A:We have our own industrial park. There are production centre and R&D centre and quality inspectior centre to guarantee the machines quality.

Q:How many hours does the machine can operate per day?

A: Machine can work whole day. But for longer using life, we suggest you to have 1 hour or 2 hours off per day.

Q: Is the machines easy to operate?

A: Machine is very intelligent and easy to operate, like the intelligent phone, also the software is made by our company, so we know how to make it intelligent and operate friendly.



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA