

# SMT mounting machine for kinds of application,DOB bulb,lens,power driver etc.

### **Basic Information**

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1PCS
- Packaging Details: WE USE VACUUM WOODEN BOC
   PACKAGE

CHINA

CCC,SIRA,CE

HT-E8S-1200

5-8 work days L/C, T/T

50PCS/Month

- Delivery Time:
- Payment Terms:
- Supply Ability:



### **Product Specification**

• MODEL:	HT-E8S-1200
Warranty:	1 Year
Applicable Components:	0402
• Name:	SMD Chip Mounter,SMT Pick And Place Machine,SMT Chip Mounter
Application:	SMD Production Line,SMT Production Line,for SMT Machine
<ul> <li>Power Supply:</li> </ul>	380V 50HZ
Condition:	New,100% Original,Brand-new
• Weight:	1700KG
<ul> <li>Mounting Speed:</li> </ul>	45000 CPH
• Usage:	SMT Mounting Machine, SMD, LED
• Dimension:	2550*1650*1550mm
• Feeders:	28
Pcb Thickness:	0.5-5 Mm
LIEAD.	10000



### SMT mounting machine for kinds of application, DOB bulb, lens, power driver etc.

### Exclusive patented technology

Electronic feeder feeding system. Vision alignment flight identifications, Mark correction. Non-stop material re-loading function Auto-optimization after coordinates generated, etc.



## 9 Invention Patents

**Our Certification** 



# 12 Software Patents



# 112 Practical Patents

The second		70	**************************************	
Table Control				
	and an			
				10 10 10 10 10

### Features

Single module magnetic linear motor multifunctional pick and place machine Component: Min. size 0402 Max. height 15mm Application: Power driver. electric board. lens. linear bulb.DOB, household appliance etc.

### **Technical parameter**

Dimension:2550\*1650\*1550mm Total Weight:1700kg PCB Length Width:Max:1200\*500mm Min:100\*100mm PCB Thickness:0.5-5mm PCB Clamping:Adjustable pressure pneumatic Mounting Mode:Group picking and separate placingseparate picking and separate placing Software:R&D independently Mounting Precision:±0.04mm Mounting Height:<15mm (Automatic Changing) Mounting Speed:45000 CPH Components:LED,capacitors,resistors,IC,shaped components, etc. Transmission Direction:Both direction (option)



#### DOB bulb

The bulb lamp is a new energy-saving lamp which replaces the traditional incandescent bulb. Core parts

Driving power supply, without this drive, the beads will not light. And if for the quality of a bulb, the most important is the radiator, and drive power and led chips.



#### **Product features**

1.Convenience

2.safety: LED as a light source, with professional cooling structure, working temperature is very low (40-60  $^{\circ}$  C) , even if the hand will not burn.

3.energy-saving: energy-saving Lamp Power 5W-65W range

4.environmental protection: the use of LED as a light source, led work completely without IR (infrared) and UV (ultraviolet) radiation

5.response time is short:the bubble will not change with the environmental temperature, its normal operating temperature in -35 ° C-80 ° C, so it does not need to consider the general working environment temperature. 5.Long Life: Bulb LED light source life of 50000 hours.

#### FAQ

Q:Can I visit the production site of your machines in India?

A: I have to ask my clients. After all, this is our customer's factory. We can't make decisions for my clients. I think that You wouldn't want your competitors to visit your manufacturing site. please understand.

Q:Do you have any customers in India? How many machines are there in India?

A: Yes, We have many big clients in India, Such as RK. SURYA, Fiem, Calcom, POLYCRB, etc. We have

sold over a hundred machines to India and we go to the exhibition every year.

