



SMT pick and place machine in led light industrial for mounting led tube with SMT automatic loader machine

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ETON
- Certification: CCC,SIRA,CE
- Model Number: HT-E8D-1200
- Minimum Order Quantity: 1PCS
- Packaging Details: WE USE VACUUM WOODEN BOC PACKAGE
- Delivery Time: 5-8 work days
- Payment Terms: L/C, T/T
- Supply Ability: 50PCS/Month



Product Specification

- Model: HT-E8D-1200
- Warranty: 1 Year,12 Months
- Name: SMD Chip Mounter,SMT Pick And Place Machine,SMT Chip Mounter,smt Nozzle
- Application: SMD Production Line,SMT Mounting Shooter Machine,SMT Production Line,for SMT Machine
- Power Supply: 380V 50HZ
- Condition: New,100% Original,Brand-new
- Product Name: Place Machine\ LED Mounter\LED Assembly Machine,Automatic SMT Mounting Shooter,SMT Shooter Machine
- Weight: 2500kg
- Mounting Speed: 90000 CPH
- Type: SMT Machine Related Products,Automatic
- Usage: Circuit Board Assembly,SMT Mounting Machine,SMD,LED



Product Description

SMT pick and place machine in led light industrial for mounting led tube with SMT automatic loader machine

Technical parameter

Model:E8D-1200

Dimension:3150*2250*1650mm

Total Weight:2500kg

PCB Length Width:Max:1200*300mm Min:100*100mm

PCB Thickness:0.5-5mm

PCB Clamping:Adjustable pressure pneumatic

Mounting Mode:Group picking and separate placingseparate picking and separate placing

No. of Camera:4pcs

Mounting Precision:±0.04mm

Mounting Height:<15mm (Automatic Changing)

Mounting Speed:90000 CPH

Components:LED , capacitors, resistors, IC,shaped components, etc.

Components Space:0.2mm

No. of Feeders Station:48pcs

No. of nozzles:24pcs

Power:380AC 50HZ

Power Consumption:8 KW

Conveyor transmission:Max length :1200 mm

Transmission Speed:>1000mm/sec



Full automatic loader Installation notes



1.First of all, determine the direction of the plate, generally when the brick machine, mixer a line installed with side plate; brick

machine, mixer placed vertically using the back plate.

2. Make sure that the oil cylinder or other moving mechanism is not above the pallet, which will affect the lower pallet. If there is any influence, move the pallet and feed pallet away.

3. Confirm the partner of non-fired brick machine-the square tube that fixed sprocket position in front of the upper plate machine does not touch the belt machine; 4. Under the possible circumstances, as far as possible on the plate next to the left position, convenient pallet placement, easy to use.

Classification of lamp tube



According to function points: led fluorescent lamp shape changes little, but the resulting production of different functions are also many.

A. Dimming led fluorescent tubes, it can be divided into 3 categories, silicon dimming, 0-10v dimming, Dimming remote control. Emergency led fluorescent tubes, divided into two categories, one is external battery, one is charged, the built-in Battery.

C. Induction led fluorescent tubes, divided into four categories, one is radar sensing, one is infrared sensing, one kind is the sound control induction, one kind is the light control induction.

D. Compatible with LED fluorescent tubes, divided into two categories, isolated and non-isolated power supply. Don not.

E. Yellow led lamp, transparent and opaque, anti-uv.

F. plant led lamp, divided into two categories, one is proportional to the spectrum, the other is a full-spectrum, simulated natural light

G. ultraviolet led lamp, sterilization and curing, detection of several kinds of

H. Waterproof led lamp, divided into independent waterproof and triple-resistant led lamp, waterproof grade ip65-1p683.

If divided by voltage, divided into single voltage and full voltage, there are high power factor and low power factor



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA