

Product Description

led lights assembly machine 330mm 250mm Multi Magazine PCB Loader SMT PCB handling equipment PCB unloader machine pcb conveyor PCB board stacker

pcb Loader machine introduction

The board loading machine is also called the board feeding machine and the feeding machine. It is a kind of production equipment that needs to be used in the SMT production and processing of electronic products. Its main function is to place the unmounted PCB boards in the SMT board loading machine. The board arrives at the board suction machine, and then the board suction machine automatically places the PCB on the track of the solder paste printing machine and uploads it to the solder paste printing machine for solder paste operation.

The SMT automatic loading machine is used at the source of the SMT production line. According to the requirements of the rear equipment, the PCB plates stored in the circulating box will be transferred to the production line one by one. When all the PCB plates in the circulating box are transferred, the empty circulating box will be automatically downloaded and replaced with the following fully loaded circulating box.

Technical parameter of PCB loader machine

Item	ET-L330 send board machine
Dimension	L1400*W860*H1200±30mm
Frame	Special aluminum profile guide rail and special thousand bird type plastic chain
Lift	90W Taiwan brake motor drive uses ball screw to make Magazine stepping up and down
Transmission motor	Taiwan 15W fixed speed motor
Structure	Pneumatic clamp structure
Magazine Specifications	L460*W400*565mm
Maximum size of PCB	L450*W330
Direction	Right to left / left to right
Lift platform pitch selection	10,20,30,40
Transmission height	H=920±30
Controller	Mitsubishi PLC programmable controller
Function	Automatically send board
Operation control panel	Display control true color touch screen
Pneumatic Components	Push plate cylinder position, adjusted by screw
power supply	220V 50HZ
No. of Full load storage board	50 PCS
Gas source	0.4-0.6MPa
Electric control box	1 set

Pictures of SMT machine PCB loader machine



Our products from ETON



After Services

Before buying machine

- 1) Professional sales manager of LED SMT machine, provide professional suggestion and service to you !
- 2) 24 hours online service and technical support, solve your questions quickly!
- 3) Sound company organization and working system, guarantee you a fast delivery!
- 4) Design and provide the whole SMT processing lines for you based on your budget , workshop covering area with best prices!

After buying machine

- 1) 1 year free warranty
- 2) Visit customers regularly and gather information.
- 3) Provide latest information about technology and equipment.

Our attitude!

Not only we will provide the fastest, most stable and most complete LED pick and place machine for you, but also we can make the most suitable plan for you to save labor cost.

RFQ

1.What about the shipping methods?

Our mode of transportation is by sea, air and road.

2.What's your delivery time?

Usually 30 days after deposit, if we have inventory, the time can be brought forward.

3.How can you make sure we will receive the machine with high quality?

Our team will inspect each batch of machine before delivery, we have certificates of CE,Quality management certificate.

4.How is your service?

If you buy our machine,we will send our engineer to your factory to install machine and training freely.

5.Who is your client?

We have exported machine to different countries,such as India,Egypt,Korea,Turkey,Brazil etc.
Such as FSL,ETI,KONKA,OPPLE,MLS are our client,In india such as RK,Surya,skyquad are our client.

6. Is your software interface in English?

English interface and Chinese interface are both available.

Contact me

ethel whatsapp/wechat/TEL:008613824337025

email:ethel@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG
STREET,BAOAN,SHENZHEN,CHINA